

Provisional checklist of Annelids (megadriles) of central Amazonia, Peru and Brazil
by Rob Blakemore, August, 2006 YNU Japan

The current list has approximately 160 species from this region updated from Blakemore (2005). Lavelle & Lapiède (2003) calculated 105 species in 36 genera from the Guayana Shield, North of the Amazon and South-East of the Orinoco; they included 10 peregrine species, 8 unidentified taxa, and estimated a total Amazonia earthworm fauna of >2,000 earthworm species.

<http://www.ingentaconnect.com/content/urban/281/2004/00000047/F0020005/art00005>.

Earlier, Righi (1999) claimed 260 species from Brazil with 70 he listed from São Paulo, but these included microdriles so the numbers of megadriles are lower (see website: <http://www.biota.org.br/pdf/v5cap02.pdf>).

Recently, Feijoo *et al.* (2004) reported that Colombian Oligochaeta comprise 113 species placed in nine families, 30 genera and six subgenera, of which 90 are native and 23 exotic [http://www.ecologia.edu.mx/azm/documentos/20_2/M-Feijoo.pdf]. However, they mistakenly refer to 7 new taxa and to synonyms of *D. rubida*, *A. rosea* and *O. occidentalis* and they overlook *Pontodrilus litoralis* (Megascolecidae), so that actual totals of known exotics differ.

For summary of smaller aquatic microdriles, the reader is directed to Roemberg (2004) and Pamplin *et al.* (2005). Some other sources are listed in References below.

Results

Families, Genera and Species reported from Amazonia compiled from various sources eg. Michaelsen, 1900; Blakemore (2002); Lavelle & Lapiède (2003) and references cited therein. Family classification follows Blakemore (2000; 2002).

Family Ocnerodrilidae – about 20 genera, not only in S. America

Bauba

Bauba santosi Righi, 1980

Belladrilus

Belladrilus arua Righi, 1984

Belladrilus emilianii Righi, 1984

Belladrilus jimi Righi, 1984 - Brazil (Mischis, 2000; 2004)

Belladrilus (Belladrilus) otarion Righi, 1995 (from cave?) - Iporanga, São Paulo

Belladrilus pocaju Righi, 1984

Belladrilus (Belladrilus) vaucheri Zicsi, 1995

Brunodrilus

Brunodrilus angetoi Righi, 1971

Eukerria Michaelsen – S. America (including Peru and Brazil)

Eukerria asuncionis (Rosa, 1895) - Brazil (Mischis, 2000; 2004)

Eukerria eiseniana – Bolívar (Venezuela) / Roraima (Brazil)

Eukerria garmani (Rosa, 1895) - Brazil

Eukerria guamis – Manaus

Eukerria kukenthali (Michaelsen, 1908) – Brazil and peregrine

Eukerria saltensis (Beddard, 1895) – S. America and peregrine

Eukerria stagnalis (Kinberg, 1867) – S. America including Brazil

Eukerria subandina (Rosa, 1895) – S. America including Brazil

Eukerria urna Righi, 1968 – Brazil

Exisdrilus

Exisdrilus rarus - Manaus

Gordiodrilus

Gordiodrilus paski - São Paulo

Gordiodrilus marcusii - Anhembi, São Paulo

Haplodrilus Eisen – Paraguay, Brazil

Haplodrilus tagua - Manaus

Kerriona Michaelsen – Brazil

Kerriona limae - Salesopolis, Sao Paulo

Ocnerodrilus Eisen – Northern S. America

Ocnerodrilus (Ilyogenia) hendriei paulistus - Sao Paulo

Ocnerodrilus (Ilyogenia) ibemi - Sao Sebastiao, Sao Paulo

Ocnerodrilus (Ocnerodrilus) occidentalis Eisen, 1878 - peregrine

Pygmaeodrilus

Pygmaeodrilus amapaensis Righi, 1988 - Brazil

Paulistus Michaelsen – Brazil

Quechua Michaelsen – Peru

Xibaro Righi, 1981 - Ecuador.

Family Acanthodrilidae – several peregrine species are possible in this region.

Microscolex Rosa – southern S. America and peregrine

Microscolex dubius (Fletcher, 1887) - peregrine including S. America

Microscolex phosphoreus (Duges, 1837) – peregrine including S. America

Yagansia Michaelsen, southern S. America, one species from Peru

Yagansia peruana Cernosvitov, 1939 - ?Altiplano overlaps Chile, type-locality in Peru

Family Octochaetidae – about 30 genera, not only in S. America

Dariodrilus

Dariodrilus ferrarius - Manaus

Dichogaster Beddard – S. America and peregrine

Dichogaster andina andina Cognetti, 1904

Dichogaster andina evae Righi et al., 1978 – Rio Tocantins

Dichogaster affinis - Manaus

Dichogaster annae (Horst, 1893) (syns. include *Benhamia parva* Michaelsen, 1896; *D. servi* Righi & Ayres, 1975; *D. silvestris cacaois* Righi, 1968) – S. America

Dichogaster badajos Righi, Ayres & Bittencourt, 1978

Dichogaster bolaui (Michaelsen, 1891) – peregrine found Amazonia, and Sao Paulo

Dichogaster gracilis (Michaelsen, 1892) - Manaus

Dichogaster ibaia Righi, Ayres & Bittencourt, 1978 - Manaus

Dichogaster modiglianii (Rosa, 1896) – peregrine species found Amazonia

Dichogaster saliens (Beddard, 1893) - Manaus; Sao Paulo

Dichogaster servi - Osasco, Sao Paulo; Rio Grande do Sul

Dichogaster xecatu - Manaus

Neogaster Cernosvitov, 1934

Neogaster aidae Righi, 1975

Neogaster americana Cernosvitov, 1934 - from Brazil

Neogaster angeloi - from Brazil

Neogaster gavrilovi Righi & Caballero, 1970 - from Brazil

Pickfordia

Pickfordia (Omodeoscolex) divergens itapecu (Righi, Ayres & Bittencourt, 1978) – Manaus and Rio Tocantins Brazil, Guadeloupe Island (Caribbean), and Paraguay - from Csuzdi (1993: 67). Note: this taxa formerly *Wegneriella divergens itapecu*.

Pickfordia (Omodeoscolex) tocaya (Righi, Ayres & Bittencourt, 1978) - Manaus
(*Wegeneriella* Michaelsen, 1933 – now restricted to West Africa, - see Csuzdi, 1993 cf. Lavelle & Lapiède, 2003: 424).

Wegeneriona Cernosvitov, 1939 – tropical S. America

Wegeneriona beauforti Michelsen, 1933 - N. Brazil

Wegeneriona belenensis Righi, 1988 - Manaus

Wegeneriona brasiliiana Cernosvitov, 1939

Wegeneriona cernosvitovi Righi & Caballero, 1970 - from Brazil (and Ecuador)

Wegeneriona michaelseni (Cernosvitov, 1934)

Family Megascolecidae - several peregrine species are known or probable in this region.

Amynthas aspergillum (Perrier) - reported from Sao Paulo by Righi (1967) possibly actually refers to *A. robustus* (Perrier).

Amynthas corticis - peregrine including S. America

Amynthas gracilis - peregrine including S. America

Amynthas morrisi - peregrine including S. America

Amynthas rodericensis (Grube, 1879) – S. America

Amynthas ? *tricystis* (Perrier, 1877) poorly described as *Perichatea tricystis* from Brazil.

Metaphire californica - peregrine including S. America

Metaphire houletti

Metaphire schmardae - Sao Paulo (Righi, 1980)

Pheretima? *dicystis* (Perrier, 1877) – Brazil, poorly described, species inquirenda.

Pheretima? *tricystis* (Perrier, 1877) – Brazil, poorly described, species inquirenda.

Polypheretima elongata (Perrier, 1872) – S. America

Polypheretima taprobanae (Beddard, 1892) – Sao Paulo, Brazil

Pontodrilus litoralis (Grube, 1855) – littoral, cosmopolitan - including S. America

Family Glossoscolecidae – about 25 genera with ca. 200 species, mainly S. America

Alexidrilus Righi, 1971

Alexidrilus litoralis Ljungstrom, 1972 – Brazil

Alexidrilus lourdesae Righi, 1971 – Brazil

Andioscolex Michaelsen - tropical S. America (but not Peru)

Andioscolex itajo - Araras, Sao Paulo

Anteoides Cognetti – S. America (but not Peru nor Brazil)

Andiorrhinus Cognetti – S. America (including N. Brazil)

Andiorrhinus (Amazonidrilus) aberratus Zicsi & Csuzdi, 1999

Andiorrhinus (Amazonidrilus) amaparis Righi, 1971

Andiorrhinus (Amazonidrilus) amazonius Michaelsen, 1918 – Rio Taruma Mirim/
Manaus

Andiorrhinus (Amazonidrilus) brasiliensis buritis

Andiorrhinus (Amazonidrilus) caudata – Rio Taruma Mirim, Manaus

Andiorrhinus (Amazonidrilus) curiosus – Manaus

Andiorrhinus icomi Righi, 1971

Andiorrhinus (Amazonidrilus) mandauaka

Andiorrhinus (Amazonidrilus) motto Righi & Araujo, 1999

Andiorrhinus planaria Michaelsen, 1934 – Rio Negro

Andiorrhinus (Amazonidrilus) venezuelanus tarumanis Righi et al., 1976 – Rio
Negro/Rio Solimoes, Manaus

Andiorrhinus (Andiorrhinus) kuru Moreno & Paoletti, 2004

Andiorrhinus (Turedrilus) baniwa

Andiorrhinus (Turedrilus) bare

Andioscolex

Andioscolex atunesi Righi, 1971

Andioscolex freitasi Righi, 1971

Andioscolex geayi Cernosvitov, 1934 (sometimes misquoted as "Righi, 1971")

Andioscolex tinga Righi, 1971

Atatina

Atatina gatesi

Aptodrilus Cognetti – S. America (including N. Brazil)

Cirodrilus

Cirodrilus righii Zicsi, Rombke & Garcia, 2001 - Manaus

Diacheta (8 species in subgenus are known)

Diacheta (Amazo) atroaris Righi et al., 1978 - Manaus

Diacheta (Amazo) mingua

Diacheta (Diacheta) adisi Righi, 1987 - Manaus

Diacheta (D.) carsevenica

Diacheta (D.) juli Righi et al., 1978 - Manaus

Diacheta (D.) mura Righi, 1989 - Manaus

Diacheta (D.) uaimiri - Brazil

Diaguita

Diaguita michaelseni Vordero, 1942 - Brazil (Mischis, 2000; 2004)

Diaguita vivianae Righi, 1990 - Manaus

Enantiodrilus

Enantiodrilus borellii Cognetti, 1902 - Brazil (Mischis, 2000; 2004)

Enantiodrilus cognettii Michaelsen, 1933 - Brazil

Fimoscolex Michaelsen – Brazil

Fimoscolex angai – Sao Paulo, Brazil

Fimoscolex ohausi Michaelsen, 1900 – Brazil (Rio de Janeiro)

Fimoscolex sacii – Sao Paulo, Brazil

Fimoscolex sporadochaetus Michaelsen, 1917 - Brazil

Glossodrilus

Glossodrilus arapaco Righi, 1982 – Brazil

Glossodrilus baiuca Hamoui & Donatelli, 1983 – Brazil

Glossodrilus cigges Righi, 1971 – Brazil

Glossodrilus mairaro Righi, 1982

Glossodrilus motu Righi, 1990 – Brazil

Glossodrilus oliveirae Righi, 1982 – Brazil

Glossodrilus tico Righi, 1982 – Brazil

Glossodrilus schubarti Righi, 1982 – Manaus

Glossodrilus sucunduris - Brazil, Manaus

Glossodrilus uete dithecae Righi, 1988 – Brazil, Manaus

Glossoscolex Leuckart – tropical S. America

Glossoscolex amomee - Sao Paulo

Glossoscolex bondari - Rio Claro, Sao Paulo

Glossoscolex bresslaui Michaelsen, 1918, Ribeirao Pires, Sao Paulo, Rio di Janeiro

Glossoscolex catharinensis Michaelsen, 1918, Barreira, Brazil

Glossoscolex corderoi - Sao Manuel, Sao Paulo

Glossoscolex facchinii - Araras, Sao Paulo

Glossoscolex fasold Michaelsen, 1918, Alto da Serra by Santos, Sao Paulo, Brazil

Glossoscolex giganteus australis - Apiai, Sao Paulo

Glossoscolex giganteus giganteus Leuchart, 1835 – Brazil (Rio de Janeiro)

Glossoscolex gordurensis - Sao Paulo
Glossoscolex grandis grandis (Michaelsen, 1892) – Brazil
Glossoscolex grandis ibirai – Ibira, Sao Paulo, Brazil
Glossoscolex grecoi - Sao Paulo
Glossoscolex jimi Righi, 1972: 41
Glossoscolex montagneri - Sao Sebastiao, Sao Paulo
Glossoscolex mrazi - Sao Paulo
Glossoscolex (Tomperoge) parecis Righi & Ayres, 1975 - Brazil (Mischis, 2000; 2004)
Glossoscolex paulistus - Piracicaba, Arras, Sao Paulo
Glossoscolex sazimai - Garaguatatuba, Sao Paulo
Glossoscolex taunayi Michalsen, 1926 - Serra da Bocaina, Sao Paulo
Glossoscolex tocape - Sao Paulo
Glossoscolex truncatus Rosa, 1895 - Brazil
Glossoscolex tupii – Sao Paulo, Brazil
Glossoscolex uruguayensis uruguayensis Cordero, 1943 - Brazil (Mischis, 2000; 2004)
Glossoscolex umijiae - Cotia, Sao Paulo
Glossoscolex vizottoi - Rio Preto, Sao Paulo
Glossoscolex wiengreeni (Michaelsen, 1897) – S. Brazil

Holoscolex

Holoscolex caramuru Righi, 1990 - Brazil, Manaus
Holoscolex nemorosus taca Righi, 1990 - Brazil, Manaus

Martiodrilus Michaelsen, Peru, S. Brazil

Martiodrilus duodenarius (Michaelsen, 1917)- Brazil (originally *Thamnodrilus*)
Martiodrilus geayi (Cernosvitov, 1934) - N. Brazil (originally *Th. tenkatei geayi*)
Martiodrilus gonggrijpi (Michaelsen, 1933) - N. Brazil
Martiodrilus helleri - (Michaelsen, 1917) - N. Brazil (originally *Thamnodrilus*)
Martiodrilus matapi (Righi, 1969) - Manaus (originally *Thamnodrilus matapi*)
Martiodrilus potarensis (Rosa, 1898) - N. Brazil (originally *Anteus*)
Martiodrilus tenkatei (Horst, 1887) - N. Brazil (originally *Rhinodrilus*)

Onychochaeta Beddard – S. America

Onychochaeta windlei (Beddard, 1890) - N. Brazil
Opisthodrilus Rosa – S. America (including Brazil)
Opishodrilus borellii Rosa, 1895 - Brazil (Mischis, 2000; 2004)

Periscolex Cognetti - S. America (but not Peru nor Brazil)

Perolofius

Perolofius ljunstromi - Brazil, San Carlos de Rio Negro

Pontoscolex Schmarda – S. America (including Brazil)

Pontoscolex (Meroscolex) guianicus Cernosvitov, 1934 - N. Brazil
Pontoscolex (Meroscolex) hoogmoedi Righi, 1969 - N. Brazil
Pontoscolex (Meroscolex) longissimus Cernosvitov, 1934 - N. Brazil
Pontoscolex (Meroscolex) marcusi Righi & Ayres, 1976
Pontoscolex (Meroscolex) roraimensis Righi, 1984 (1990?) – Roraima, Brazil
Pontoscolex (Pontoscolex) corethrurus (Muller, 1857) – Brazil
Pontoscolex (Pontoscolex) quasi Righi, 1984 – Brazil
Pontoscolex (Pontoscolex) eudoxiae Righi, 1984 – Manaus
Pontoscolex (Pontoscolex) hingstoni Righi, 1971 – N. Brazil
Pontoscolex (Pontoscolex) maracaensis Righi, 1984 – Brazil
Pontoscolex (Pontoscolex) nogueirai Righi, 1990 – Brazil
Pontoscolex (Pontoscolex) uairimensis Righi, 1985
Pontoscolex (Pontoscolex) vandersleeni Michaelsen, 1933 – Brazil, Manaus
Rhinodrilus Perrier, 1872 – S. America (including Brazil)

Rhinodrilus alatus Righi, 1971 – Brazil
Rhinodrilus annulatus Cernosvitov, 1934 – Brazil
Rhinodrilus appuni pavoni Righi & Araujo, 1999
Rhinodrilus brasiliensis (Benham, 1886) – Pedza acu [erstwhile type of *Urobenus*]
Rhinodrilus bursiferus Righi, 1971 – Brazil
Rhinodrilus contortus Cernosvitov, 1938 – Manaus
Rhinodrilus duseni – Parana, Matogrosso du Sol
Rhinodrilus fafner Brazil (giant worm)
Rhinodrilus garbei – Botucatu
Rhinodrilus hoeftlingae Righi, 1980 – Minas Gerais?
Rhinodrilus horsti (Beddard, 1891) – Brazil
Rhinodrilus juncundus Righi, 1985 – Rio Tocantins
Rhinodrilus lakei – Manaus
Rhinodrilus papillifer (Michaelsen, 1892) – Porto Alegre (type locality), Rio do Sul, S. Brazil; Paraguay
Rhinodrilus pitun Righi and Moraes, 1990 – Pernambuco, Brazil
Rhinodrilus priollii Righi, 1967 – Manaus
Rhinodrilus romani Michaelsen, 1928 – Rio Negro

Righiodrilus

Righiodrilus amazonicus Zicsi & Csuzdi, 1999 - N. Brazil
Righiodrilus tico - N. Brazil

Tairona

Tairona tipema, Righi et al., 1976 – Rio Negro
Thamnodrilus Beddard – Central and S. America (including Peru)
Thamnodrilus gulielmi Righi, 1971 - N. Brazil
Thamnodrilus salathei Righi, 1971 - Brazil

Tuiba

Tuiba dianae Righi et al., 1976 - Manaus

Tupinaki

Tupinaki bokermannii - Sao Paulo

Urobenus Benham

Urobenus brasiliensis brasiliensis Benham, 1886 - Manaus, San Paulo
Urobenus buritis - Manaus
Urobenus petrerei Righi, 1985 – Rio Tocantins

Zongodrilus Righi, 1995 - Ecuador

Family Almidae – ca. six genera with ca. 40 species, not only in S. America
Drilocris Michaelsen - tropical S. America

Drilocris iheringi (Michaelsen, 1895) from Sao Paulo & Paraguay
Drilocris sp., Stephenson, 1931 – Paraguay
plus several other *Drilocris* spp.

Glyphidrilocrius

Glyphidrilocrius ehrhardtii Michaelsen, 1926

Family Criodrilidae - primitive, mainly European family, type sometimes transported.
Criodrilus lacuum Hoffmeister, 1845 - Brazil (Knäpper & Porto, 1979)
Guarani camaqua Rodriguez & Lima in Lima & Rodriguez, in press; monotypic; from rice fields of Rio Grande do Sul, Brazil.

Family Sparganophilidae - mainly North American and possibly ancient European family.

Areco reco Righi, Ayres & Bittencourt 1978 - monotypic Amazonian taxon.

Family Lumbricidae – several peregrine species are possible in this region.

Aporrectodea rosea (Savigny, 1826) - peregrine including S. America

Aporrectodea caliginosa (Savigny, 1826) - peregrine including S. America

Aporrectodea rosea (Savigny, 1826) - peregrine including S. America and Brazil

Aporrectodea trapezoides (Duges, 1828) - peregrine including S. America

Bimastos parvus (Eisen, 1874) - peregrine including S. America

Dendrobaena veneta (Rosa, 1886) - Brazil (Knäpper & Porto, 1979)

Dendrodrilus rubidus (Savigny, 1826) – S. America

Eisenia fetida (Savigny, 1826) - widespread

Eisenia lucens (Waga, 1857) - Brazil (Knäpper & Porto, 1979)

Eiseniella tetraedra (Savigny, 1826) (Pacheco *et al.*, 1992)

Octolasion cyaneum (Savigny, 1826) - South Brazil (e.g. Righi, 1967)

Family Eudrilidae - one peregrine species reported from Guayana (by Cernosvitov, 1935)

Eudrilus eugeniae - Vinhedo, Sao Paulo (Righi, 1968)

References

Blakemore, R.J., (2000). Provisional checklist of Annelids (megadriles) of central Amazonia, Peru and Brazil. Unpublished report for Dr. James Albert (Uni of Florida) and Dr Dan Shain (Rutgers University, Camden, NJ).

Blakemore, R. J., (2002). *Cosmopolitan Earthworms – an Eco-Taxonomic Guide to the Peregrine Species of the World*. VermEcology, PO BOX 414 Kippax, ACT 2615, Australia, pp. 506 including 80 figs.

Blakemore, R.J., (2005). *A Series of Searchable Texts on Earthworm Biodiversity, Ecology and Systematics from Various Regions of the World*. Eds.: N. Kaneko & M.T. Ito. COE Soil Ecology Research Group, Yokohama National University, Japan. CD-ROM. [<http://bio-eco.eis.ynu.ac.jp/eng/database/earthworm/>].

Feijoo, A.V., Quintero, H.V., Fragoso, C. & Moreno, A.G., (2004). PATRÓN DE DISTRIBUCIÓN Y LISTADO DE ESPECIES DE LAS LOMBRICES DE TIERRA (ANNELIDA, OLIGOCHAETA) EN COLOMBIA. *Acta Zoologica Mexicana* (*n.s.*). **20(2)**: 197-220. [http://www.ecologia.edu.mx/azm/documentos/20_2/M-Feijoo.pdf].

Knäpper, C.F.U. & Porto, R.P., (1979) Ocorrência de Oligoquetas nos solos do Rio Grande do Sul. *Acta Biológica Leopoldensia*, 1, 137-166.

Lavelle, P. & Lapied, E., (2003). Endangered earthworms of Amazonia: an homage to Gilberto Righi. *Pedobiologia* 47(5-6): 419-427.

Michaelsen, W., (1900). *Das Tierreich*. 10, Oligochaeta. Berlin: R. Friedländer und Sohn. Pp. xxix + 575.

Mischis, C.C., (2000). Las lombrices de tierra (Annelida, Oligochaeta), de la República Argentina. *Natura Neotropicalis* 31 (1,2): 17-27. [Online here:

http://www.efn.uncor.edu/dep/divbioeco/DivAni1/lombric/lombr_arg.htm and
http://www.efn.uncor.edu/dep/divbioeco/DivAni1/lombric/lombr_cba.htm].

Mischis, C.C., (2004). Lombrices de tierra de Argentina: (Earthworms in Argentina: faunisti and biogeographic aspects). In: Moreno, A. G. and Borges, S. (eds.) "Avances en taxonomia de lombrices de tierra/Advances in earthworm taxonomy (Annelida: Oligochaeta)". Editorial Complutense, Universidad Complutense, Madrid, Spain. Pp. 261-274. [Published July, 2004 in English with some Spanish translation].

Pacheco, S.M., Junqueira, I.C., Widholzer, R.M.B.F., Esmério, M.E. & Nunes, C.N., (1992). Contribuição ao conhecimento da fauna de Oligochaeta das áreas de alagamento das usinas hidrelétricas de Itá-Machadinho (RS, SC) e Campos Novos (SC). *Comunicações do Museu de Ciências da Pontifícia Universidade Católica do Rio Grande do Sul (PUCRS)*, Série Zoologia (Porto Alegre) 5, 23-28.

Pamplin, P. A. Z., Rocha, O., Marchese, M., (2005). Riqueza de espécies de Oligochaeta (Annelida, Clitellata) em duas represas do rio Tietê. *Biota neotropica, Campinas*, 5(1): 1-8.

Righi, G., (1999). Oligochaeta (Annelida) - diversidade e agro-ecologia. In: Biodiversidade do Estado de São Paulo, Brasil. Joly, C.A. & C.E.M. Bicudo (orgs.). "Fundação de Amparo à Pesquisa do Estado de São Paulo", São Paulo, SP. [List his earlier papers and taxa determinations].

Römbke, J., (2003). The role of Gilberto Righi in the development of tropical microdrile taxonomy. *Pedobiologia* 47(5-6): 405-412.

[End of Amazonia, Peru and Brazil species summary].