

November, 2007. Checklist of 505 Earthworm species from India, Sri Lanka and the adjacent region (excluding Myanmar) compiled from various sources [e.g. Stephenson (1923), Gates (1972), Julka (1988, etc.)]. Families as per Blakemore (2000) "Tasmanian Earthworms" and Blakemore (2002, 2006) "Cosmopolitan Earthworms" - robblakemore@bigpond.com or rob.blakemore@gmail.com . Compare to Indian Faunal list website <http://www.ncbi.org.in/biota/fauna/> .

Species inquirenda (pl. inquirendae) means a species of doubtful identity needing further investigation. A **Nomen nudum** is not available but a name may become available later for same or different concept taking this latter authorship and date.

FAMILY	<i>Genus</i>	<i>species</i>	Author	Distribution	Synonyms	Status
ALMIDAE	<i>Glyphidrilus</i>	<i>annandalei</i>	Michaelsen, 1910: 101	Kerala, Southern India.	<i>G. achencoili</i> (laps.); Cognetti, 1911: 506. <i>G. fluviatilis</i> + <i>G. elegans</i> + <i>G. rarus</i> + <i>G. saffronensis</i> Rao, 1922: 53, 62, 64, 66.	
ALMIDAE	<i>Glyphidrilus</i>	<i>birmanicus</i>	Gates, 1958: 54	Myanmar and ?India.		
ALMIDAE	<i>Glyphidrilus</i>	<i>ceylonensis</i>	Gates, 1945: 89	Sri Lanka, Vietnam, Cambodia, and Laos.		
ALMIDAE	<i>Glyphidrilus</i>	<i>gangeticus</i>	Gates, 1958: 55	India.		
ALMIDAE	<i>Glyphidrilus</i>	<i>papillatus</i>	(Rosa, 1890: 386)	India and Southeast Asia.		
ALMIDAE	<i>Glyphidrilus</i>	<i>spelaeotes</i>	Stephenson, 1924: 133	Assam, India.		
ALMIDAE	<i>Glyphidrilus</i>	<i>tuberosus</i>	Stephenson, 1916: 349	Orissa, Bengal, Tamil Nadu, India.		
GLOSSOSCOLECIDAE	<i>Pontoscolex</i>	<i>corethrurus</i>	(Müller, 1857)	Cosmopolitan.	Many.	
CRIODRILIDAE	<i>Criodrilus</i>	<i>lacuum</i>	Hoffmeister, 1845: 41	Europe and introduced into UK (unconfirmed?); America (plant pots,		

				Baltimore, India (e.g. Julka, 1988: 39) and Brazil: Rio Grande do Sol (Knäpper & Porto, 1979).	
LUMBRICIDAE	<i>Allolobophora</i>	<i>eiseni</i>	(Levinsen, 1884)	Cosmopolitan.	
LUMBRICIDAE	<i>Aporrectodea</i>	<i>caliginosa</i>	(Savigny, 1826)	Cosmopolitan.	
LUMBRICIDAE	<i>Aporrectodea</i>	<i>jassyensis</i>	(Michaelsen, 1891)	Cosmopolitan.	
LUMBRICIDAE	<i>Aporrectodea</i>	<i>rosea</i>	(Savigny, 1826)	Cosmopolitan.	Many including <i>Eisenia rosea prashadi</i> Stephenson, 1922: 440.
LUMBRICIDAE	<i>Aporrectodea</i>	<i>trapezoides</i>	(Dugès, 1828)	Cosmopolitan.	Many.
LUMBRICIDAE	<i>Aporrectodea</i>	<i>tuberculata</i>	Eisen, 1874: 43	Cosmopolitan.	
LUMBRICIDAE	<i>Bimastos</i>	<i>parvus</i>	(Eisen, 1874)	Cosmopolitan.	Originally <i>Allolobophora parva</i> Eisen, 1874
LUMBRICIDAE	<i>Dendrobaena</i>	<i>hortensis</i>	(Michaelsen, 1890: 15)	Cosmopolitan.	
LUMBRICIDAE	<i>Dendrobaena</i>	<i>octaedra</i>	(Savigny, 1826)	Cosmopolitan.	Many.
LUMBRICIDAE	<i>Dendrodrilus</i>	<i>rubidus rubidus</i>	(Savigny, 1826)	Cosmopolitan.	Many.
LUMBRICIDAE	<i>Dendrodrilus</i>	<i>rubidus subrubicundus</i>	(Savigny, 1826)	Cosmopolitan.	
LUMBRICIDAE	<i>Eisenia</i>	<i>fetida</i>	(Eisen, 1874)	Cosmopolitan.	? <i>Eisenia andrei</i> Bouche, 1972
LUMBRICIDAE	<i>Eiseniella</i>	<i>neapolitana</i>	(Örley 1885)	Cosmopolitan.	<i>ninnii</i> Rosa, 1886; <i>E. tetraedra sewelli</i>

					Stephenson, 1924: 363.
LUMBRICIDAE	<i>Eiseniella</i>	<i>tetraedra</i>	(Savigny, 1826)	Cosmopolitan.	Many.
LUMBRICIDAE	<i>Lumbricus</i>	<i>castaneus</i>	(Savigny, 1826)	Cosmopolitan.	
LUMBRICIDAE	<i>Lumbricus</i>	<i>rubellus</i>	Hoffmeister, 1843: 187	Cosmopolitan.	
LUMBRICIDAE	<i>Lumbricus</i>	<i>terrestris</i>	Linnaeus, 1758: 647	Cosmopolitan.	
LUMBRICIDAE	<i>Octolasion</i>	<i>cyaneum</i>	(Savigny, 1826)	Cosmopolitan.	Many including <i>Helodrilus (Dendrobaena) kempfi</i> Stephenson, 1922: 441
LUMBRICIDAE	<i>Octolasion</i>	<i>lacteum</i>	(Örley, 1881)	Cosmopolitan.	
LUMBRICIDAE	<i>Octolasion</i>	<i>tyrtaeum</i>	(Savigny, 1826)	Cosmopolitan.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>aculeata</i>	Gates, 1945: 57	Chennai, Tamil Nadu, and ?Bengal, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>agricola</i>	Stephenson, 1925: 53	Taliparamba Farm, Malabar, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>ampullacea</i>	Gates, 1945: 58	?Bengal, India.	<i>Species inquirenda.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>annandalei</i>	Stephenson, 1913: 261	Tamil Nadu, South India. In mud below water in Ca(u)veri River.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>aruna</i>	Julka, 1981: 4	India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>assamensis</i>	Gates, 1945: 59	?Bengal, India.	<i>Species inquirenda.</i>

MONILIGASTRIDAE	<i>Drawida</i>	<i>barwelli</i>	(Beddard, 1886: 379)	Cosmopolitan	<i>Drawida beddardii</i> (Rosa, 1890); <i>D. parva</i> (Bourne, 1894)?; <i>D. barwelli</i> var. <i>hehoensis</i> + <i>D. "fluvaitilis"</i> Stephenson, 1924:324 + 325; <i>D. tecta</i> Gates, 1926), many other synonyms listed in Blakemore (2002; 2006), etc.
MONILIGASTRIDAE	<i>Drawida</i>	<i>bifida</i>	Gates, 1945: 60	?Bengal, India.	<i>Species inquirenda.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>brunnea</i>	Stephenson, 1915: 151	Cochin (Kerala), India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>caenosa</i>	Gates, 1945: 61	India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>calebi</i>	Gates, 1945: 211	India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>chalakudiana</i>	Stephenson, 1915: 54	Cochin (Kerala) State, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>chlorina</i>	(Bourne, 1894: 364)	South India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>circumpapillata</i>	Aiyer, 1929: 50	India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>coonoorensis</i>	Gates, 1945: 63	?Bengal, India.	<i>Species inquirenda.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>decourcyi</i>	Stephenson, 1914: 373	Abor Hills, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>dolosa</i>	Gates, 1945: 64	?Bengal, India.	<i>Species inquirenda.</i>

					<i>da.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>duttai</i>	Julka, 1981: 7	India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>elegans</i>	Rao, 1921: 519	Coorg, Karnataka, South India	
MONILIGASTRIDAE	<i>Drawida</i>	<i>exilis</i>	Gates, 1945: 65	?Bengal, India.	<i>Species inquiren da.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>fakir</i>	Cognetti, 1911: 495	South India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>fausta</i>	Gates, 1945: 65	?Bengal, India.	<i>Species inquiren da.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>ferina</i>	Gates, 1945: 66	?Bengal, India.	<i>Species inquiren da.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>fluviatilis</i>	Stephenson, 1924: 325	?India.	<i>Species inquiren da.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>friderici</i>	(Michaelsen, 1897: 169)	Trincomali, Sri Lanka.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>ghatensis</i>	Michaelsen, 1910: 52	Travancore, Cochin State, Kerala India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>grandis</i>	(Bourne, 1886: 671)	Nilgiris, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>heterochaeta</i>	Michaelsen, 1922: 6	?India.	<i>Species inquiren da.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>hodgarti</i>	Stephenson, 1917: 366	Bengal, India and Myanmar.	<i>Drawida affinis</i> Stephenson, 1917: 368 (non <i>Dichogaster</i> <i>affinis</i>); <i>D. papillifer</i> Stephenson, 1917: 370

Syn. nov.; *D. rosea*
Stephenson, 1922; *D.*
ancisa Gates, 1933.

MONILIGASTRIDAE	<i>Drawida</i>	<i>impertusa</i>	Stephenson, 1920: 200	Bombay and Manila	
MONILIGASTRIDAE	<i>Drawida</i>	<i>jalpaigurensis</i>	Stephenson, 1916: 307	E. Himalayas.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>japonica</i>	(Michaelsen, 1892)	Widespread in Asia.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>kanarensis</i>	Stephenson, 1917: 364	India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>lennora</i>	Gates, 1945: 67	?Bengal, India.	<i>Species inquiren da.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>limella</i>	Gates, 1934: 241	Assam, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>loricata</i>	Gates, 1945: 67	?Bengal, India.	<i>Species inquiren da.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>matthaii</i>	Michaelsen, 1910: 47	Malabar Coast, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>minuta</i>	(Bourne, 1887: 672)	India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>modesta</i>	Rao, 1921: 523/5	Karnataka, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>montana</i>	Gates, 1945: 68	Assam, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>mysorensis</i>	Gates, 1945: 69	Assam, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>nagana</i>	Gates, 1945: 69	Assam, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>naduvatamensis</i>	(Bourne, 1894: 361)	Nadivata, Nilgiris Hills, Tamil Nadu.	

MONILIGASTRIDAE	<i>Drawida</i>	<i>nandiensis</i>	Stephenson, 1924: 326	Nandi Hills, South India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>nepalensis</i>	Michaelsen, 1907: 146	Nepal, India, Pakistan (e.g. Lahore), Myanma, China (Yunnan), Andaman Islands, Java (Buitenzorg), Sumatra (Indragiri).	<i>D. burchardi</i> Michaelsen, 1909: 149 (misdated in Reynolds & Cook 1976: 82 as "1903: 7"); <i>D. troglodytes</i> , <i>D. cacharensis</i> , <i>D. abscisa</i> .
MONILIGASTRIDAE	<i>Drawida</i>	<i>nilamburensis</i>	(Bourne, 1894: 362)	Nilambur, Southeast India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>paradoxa</i>	Rao, 1921: 528	Karnataka, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>parambikulamana</i>	Stephenson, 1915: 53	Kerala, South India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>parva</i>	(Bourne, 1894: 371)	Ootacamund, south India; type material not known; also reported from Aru Islands near West Papua	Possibly a synonym of <i>Drawida barwelli</i> (Beddard, 1886) or <i>D. parambikulamana</i> ; also misspelt " <i>Drawida parvus</i> ".
MONILIGASTRIDAE	<i>Drawida</i>	<i>pellucida bournei</i>	(Michaelsen, 1897: 167)	Sri Lanka.	<i>Moniligaster pauli</i> Michaelsen, 1897: 171.
MONILIGASTRIDAE	<i>Drawida</i>	<i>pellucida pallida</i>	Michaelsen, 1910: 51	Travancore, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>pellucida pellucida</i>	(Bourne, 1894: 363)	South India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>pellucida raoi</i>	Stephenson, 1926: 255	India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>pellucida stewarti</i>	Stephenson, 1914: 369	Abor Country, India.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>periodosa</i>	Gates, 1934:	?India.	<i>Species</i>

MONILIGASTRIDAE	<i>Drawida</i>	<i>pomella</i>	Gates, 1934: 250	Assam, India.		
MONILIGASTRIDAE	<i>Drawida</i>	<i>ramnadana</i>	Michaelsen, 1907: 145	Ramnad, South India on sandy coastal plains and reported from Bandung NW Java, Indonesia (Dec., 2005)		
MONILIGASTRIDAE	<i>Drawida</i>	<i>rangamatiana</i>	Stephenson, 1917: 369	Bengal, India.		
MONILIGASTRIDAE	<i>Drawida</i>	<i>robusta cochinchensis</i>	Stephenson, 1925: 52	Kerala, South India.		
MONILIGASTRIDAE	<i>Drawida</i>	<i>robusta ophidioides</i>	(Bourne, 1894: 365)	Nilgiris, South India.		
MONILIGASTRIDAE	<i>Drawida</i>	<i>robusta robusta</i>	(Bourne, 1887: 672)	Nilgiris, South India.	<i>Moniligaster indicus</i> Benham, 1893: 363.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>rotungana</i>	Stephenson, 1914: 372	Abor Country, India.	<i>Drawida kempi</i> Stephenson, 1914: 376.	<i>Species inquirenda.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>ruber</i>	(Bourne, 1887: 672)	From Salem in the Nilgiri Hills of Tamil Nadu.	<i>Moniligaster rubra</i> Bourne, 1894: 373.	<i>Species inquirenda.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>sapphirinaoides</i>	(Bourne, 1887: 672)	Nilgiris, South India.		
MONILIGASTRIDAE	<i>Drawida</i>	<i>scandens</i>	Rao, 1921: 515	Kerala, South India.	<i>Drawida raui</i> Stephenson, 1921: 755.	
MONILIGASTRIDAE	<i>Drawida</i>	<i>schunkarai</i>	Michaelsen, 1913: 74	Cape Comorin, Tamil Nadu, India.		
MONILIGASTRIDAE	<i>Drawida</i>	<i>somavarpatana</i>	Rao, 1921: 497	Kerala, South India.		
MONILIGASTRIDAE	<i>Drawida</i>	<i>sulcata</i>	Michaelsen,	Nilgiris, South India.		

			1907: 144			
MONILIGASTRIDAE	<i>Drawida</i>	<i>thurstoni</i>	Gates, 1945: 70	?Bengal, India.		<i>Species inquirenda.</i>
MONILIGASTRIDAE	<i>Drawida</i>	<i>tihunensis</i>	Julka, 1976: 230	India.		
MONILIGASTRIDAE	<i>Drawida</i>	<i>travancorensis</i>	Michaelsen, 1910: 46	Travancore, South India		
MONILIGASTRIDAE	<i>Drawida</i>	<i>uniqua</i>	(Bourne, 1887: 671)	Nilgiris, South India.	Syn. <i>Moniligaster papillatus</i> Bourne, 1897: 672.	Originally <i>Moniligaster uniquus</i> .
MONILIGASTRIDAE	<i>Drawida</i>	<i>willsi</i>	Michaelsen, 1907: 145	Hyderabad, Andhra Pradesh, India.		
MONILIGASTRIDAE	<i>Moniligaster</i>	<i>aiyeri</i>	Gates, 1940: 493	?India.		<i>Species inquirenda.</i>
MONILIGASTRIDAE	<i>Moniligaster</i>	<i>cernosvitovi</i>	Gates, 1962: 355	India.		
MONILIGASTRIDAE	<i>Moniligaster</i>	<i>deshayesi</i> <i>deshayesi</i>	Perrier, 1972: 130	Chochin, Travancore, ?Sri Lanka.		
MONILIGASTRIDAE	<i>Moniligaster</i>	<i>deshayesi gravelyi</i>	Stephenson, 1915: 59	Chochin State, India.		
MONILIGASTRIDAE	<i>Moniligaster</i>	<i>deshayesi minor</i>	Michaelsen, 1913: 78	Travancore, India.		
MONILIGASTRIDAE	<i>Moniligaster</i>	<i>horsti</i>	Gates, 1940: 506	India.		
MONILIGASTRIDAE	<i>Moniligaster</i>	<i>michaelseni</i>	Gates, 1940: 508	India.		
MONILIGASTRIDAE	<i>Moniligaster</i>	<i>perrieri</i>	Michaelsen, 1907: 146	Palni Hills, Travancore. In water.		

MONILIGASTRIDAE	<i>Moniligaster</i>	<i>stephensoni</i>	Gates, 1940: 42	India.	
MONILIGASTRIDAE	<i>Moniligaster</i>	<i>troyi</i>	Jamieson, 1977: 111	India.	
OCNERODRILIDAE	<i>Aphanascus</i>	<i>oryzivorus</i>	Stephenson, 1924: 360	India.	
OCNERODRILIDAE	<i>Curgiona</i>	<i>narayani</i>	(Michaelsen, 1921: 59)	Coorg, Karnataka, South India	
OCNERODRILIDAE	<i>Deccania</i>	<i>alba</i>	Gates, 1949: 279	India.	
OCNERODRILIDAE	<i>Eukerria</i>	<i>saltensis</i>	(Beddard, 1895)	Cosmopolitan.	Several.
OCNERODRILIDAE	<i>Eukerria</i>	<i>kuekenthali</i>	(Michaelsen, 1908: 24)	Myanmar, India (Julka, 1988: 40), Malaysia, Vietnam (Thai, 2000), Puerto Rico, St. Thomas, Belize, and Brazil; Christmas Island.	<i>Kerria selangorensis</i> Stephenson, 1931: 279, <i>Eukerria peguana</i> Gates, 1942: 67
OCNERODRILIDAE	<i>Gordiodrilus</i>	<i>elegans</i>	Beddard, 1892: 84	Cosmopolitan.	<i>Gordiodrilus</i> <i>travancorensis</i> Michaelsen, 1910: 98; <i>Gordiodrilus paski</i> Stephenson, 1928: 1; <i>Gordiodrilus unicus</i> Stephenson, 1931: 79.
OCNERODRILIDAE	<i>Malabaria</i>	<i>biprostata</i>	Aiyer, 1929	Travancore, South India	
OCNERODRILIDAE	<i>Malabaria</i>	<i>levis</i>	(Chen, 1938)	Hainan Island, Myanmar, Vietnam and India	
OCNERODRILIDAE	<i>Malabaria</i>	<i>paludicola</i>	Stephenson, 1924: 356	Vilayur, Walluvanad, S. Malabar, India.	

OCNERODRILIDAE	<i>Malabaria</i>	<i>sulcata</i>	Gates, 1945: 218	India.	
OCNERODRILIDAE	<i>Nematogenia</i>	<i>panamaensis</i>	(Eisen, 1900: 127)	Cosmopolitan.	Some (see Blakemore, 2002; 2006)
OCNERODRILIDAE	<i>Ocnerodrilus</i>	<i>occidentalis</i>	Eisen, 1878: 10	Cosmopolitan	<i>O. o. var. sinensis</i> Eisen, 1900; <i>O.</i> <i>tenellulus</i> Gates, 1945: 233; ? <i>Ilyogenia</i> <i>africana</i> Beddard, 1893: 703; ? <i>Ocnerodrilus</i> <i>occidentalis</i> var <i>arizonae</i> Eisen, 1900.
OCNERODRILIDAE	<i>Thatonia</i>	<i>bolangirensis</i>	Julka, 1976: 326	India.	
OCNERODRILIDAE	<i>Thatonia</i>	<i>exilis</i>	Gates, 1945: 216	Deccan, India now reported from Laos and Vietnam	
OCNERODRILIDAE	<i>Thatonia</i>	<i>gracilis</i>	Gates, 1942: 101	Andaman Islands, and Myanmar	
OCNERODRILIDAE	<i>Thatonia</i>	<i>parva</i>	Gates, 1945: 217	?India.	<i>Species inquiren da.</i>
OCNERODRILIDAE	<i>Thatonia</i>	<i>sambalpurensis</i>	Julka, 1976: 328	India.	
ACANTHODRILIDAE	<i>Diplocardia</i> ?	<i>indica</i>	Stephenson, 1924: 353	Buldana, Berar, Maharashtra, India.	<i>Species inquire nda.</i>
ACANTHODRILIDAE	<i>Microscolex</i>	<i>dubius</i>	(Fletcher, 1887)	Cosmopolitan.	Many including <i>Lumbricus dissidens</i> Weyenbergh, 1879.
ACANTHODRILIDAE	<i>Microscolex</i>	<i>phosphoreus</i>	(Dugès, 1837)	Cosmopolitan.	

OCTOCHAETIDAE	<i>Bahlia</i>	<i>albida</i>	Gates, 1945: 237	Allahabad, Uttar Pradesh, India.	
OCTOCHAETIDAE	<i>Calebiella</i>	<i>parva</i>	Gates, 1945: 242.	Uttar Pradesh, India.	
OCTOCHAETIDAE	<i>Chaetocotoides</i>	<i>montanus</i>	(Stephenson, 1920: 234)	Western Ghats, Maharashtra, South India	
OCTOCHAETIDAE	<i>Dashiella</i>	<i>khandalaensis</i>	Julka, 1988: 94	Western Ghats, Maharashtra, South India	
OCTOCHAETIDAE	<i>Dichogaster</i>	<i>affinis</i>	(Michaelsen, 1890)	Cosmopolitan	Syns. include <i>Dichogaster sinicus</i> Chen, 1938: 420, fig. 18 (?nomen nudum <i>D. sinensis</i> Chen, 1938: 421, legend for fig. 18). From Hainan.
OCTOCHAETIDAE	<i>Dichogaster</i>	<i>annae</i>	(Horst, 1893: 32)	Cosmopolitan	
OCTOCHAETIDAE	<i>Dichogaster</i>	<i>bolau</i>	(Michaelsen, 1891: 9)	Cosmopolitan	Several syns including <i>Benhamia malayana</i> Horst, 1893: 35, figs. 10-13; <i>Dichogaster bolau malabaricus</i> Stephenson, 1920: 257.
OCTOCHAETIDAE	<i>Dichogaster</i>	<i>modiglianii</i>	(Rosa, 1896: 510)	Cosmopolitan	Several syns.
OCTOCHAETIDAE	<i>Dichogaster</i>	<i>saliens</i>	(Beddard, 1893: 683)	Cosmopolitan	<i>Dichogaster crawi</i> Eisen, 1900: 228
OCTOCHAETIDAE	<i>Eudichogaster</i>	<i>ashworthi</i>	Michaelsen, 1902: 14	Maharashtra, India.	
OCTOCHAETIDAE	<i>Eudichogaster</i>	<i>indica</i>	(Beddard, 1896: 209)	Thana near Bombay, Maharashtra, India.	Often spelt

"indicus
"
although
-gaster
genera
are
feminine
gender
from
Greek.

OCTOCHAETIDAE	<i>Eudichogaster</i>	<i>kinneari</i>	Stephenson, 1920: 255	Nasi, near Bombay, Maharashtra, India.
OCTOCHAETIDAE	<i>Eudichogaster</i>	<i>mullani</i>	Stephenson, 1922: 438	Bombay, Maharashtra, India.
OCTOCHAETIDAE	<i>Eudichogaster</i>	<i>poonensis</i>	(Fedarb, 1898: 434)	Poona, Maharashtra, Southeast India
OCTOCHAETIDAE	<i>Eudichogaster</i>	<i>prashadi</i>	Stephenson, 1920: 250	Madhya Pradesh, Rajasthan, Gujarat and Maharashtra, India.
OCTOCHAETIDAE	<i>Eudichogaster</i>	<i>parva</i>	(Fedarb, 1898: 449)	Uttar Pradesh, India
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>aborianus</i>	Stephenson, 1914: 406	Abor Hills, India.
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>annandalei</i>	Michaelsen, 1907: 174	Uttar Pradesh, India.
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>assamensis</i>	Stephenson, 1926: 262	Assam, India.
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>callosus</i>	Gates, 1938: 67	Khasi Hills, India.
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>comillahmus</i>	Michaelsen, 1907: 187	Bangla Desh.
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>festivus</i>	Gates, 1938:	Khasi Hills, India.

OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>gammiei</i>	(Beddard, 1888: 111)	Darjeeling, W. Bengal, Assam, Maghalaya, Arunachal Pradesh; also outside India in Comillah, Bangla Desh.	(syns. <i>chittagongianus</i> , <i>koboensis</i> , <i>magnus</i>)
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>gigas</i>	Stephenson, 1917: 408	Chittagong Hill Tracts, Bangla Desh, Myanmar and Mizoram, India.	
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>incommodus</i>	(Beddard, 1901: 200)	Punjab, Jammu & Kashmir, Haryana, Himachal Pradesh, etc. and Pakistan.	
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>kempi</i>	Stephenson, 1914: 401	Kobo, Abor Hills, Arunachal Pradesh, India.	
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>kherai</i>	Julka, 1978: 191	Orissa, India.	
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>lippus</i>	Gates, 1934: 273	Nepal.	
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>manipurensis</i> <i>manipurensis</i>	Stephenson, 1921: 763	Thonga Island, Loktak Lake, Manipur, India.	
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>mizoramensis</i>	Julka <i>et al.</i> , in Julka, Ramanujam & Lalthanzara 2005	Mizoram, India.	
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>nainianus</i>	Michaelsen,	Uttar Pradesh, India.	

			1907: 177		
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>nepalensis</i>	Michaelsen, 1907: 176	Chitlong, Nepal.	
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>nicholsoni</i>	(Beddard, 1901: 195, 206)	Widespread in India.	Syn. <i>Eutyphoeus khani</i> Michaelsen, 1907: 233, <i>provincialis (lapsus)</i> .
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>orientalis</i>	(Beddard, 1883: 219)	Calcutta West Bengal, and adjacent India.	<i>masoni, paivai</i> Michaelsen, 1907, <i>bastianus, andersoni, Eutyphoeus bishambari</i> Stephenson, 1914: 355.
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>pharpingianus</i>	Michaelsen, 1907: 177	Pharping near Kathmandu, Nepal.	
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>quaripapillatus</i>	Michaelsen, 1907: 175	Calcutta, Bihar and Uttar Pradesh, India.	
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>scutarius</i>	Michaelsen, 1907: 186	Bangla Desh.	
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>turaensis</i>	Stephenson, 1920: 244	Garo Hills, Meghalaya, India.	
OCTOCHAETIDAE	<i>Eutyphoeus</i>	<i>waltoni</i>	Michaelsen, 1907: 179	Uttar Pradesh, and widespread in other states; also Lahore, Pakstan.	<i>Eutyphoeus bengalensis</i> Michaelsen, 1907: 183; E. <i>ibrahimi</i> Stephenson, 1914.
OCTOCHAETIDAE	<i>Herbottodrillus</i>	<i>bahli</i>	Julka <i>et al.</i> , 2004: 2	Western Ghats, Karnataka, South India	
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>affinis</i>	Stephenson, 1917: 399	Goa, India.	
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>anomala</i>	Stephenson, 1920: 223	Karnataka, India and Maharashtra.	
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>bifoveata</i>	Stephenson, 1917: 398	Karnataka, India and Maharashtra.	
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>inornata</i>	Stephenson,	Karnataka, India.	

			1917: 395	
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>karnatakensis</i>	Julka, 1988: 190	Karnataka, India.
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>kempi</i>	Stephenson, 1917: 392	Karnataka, India.
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>khandalaensis</i> <i>dichordarius</i>	(Stephenson, 1924: 352)	Maharashtra, India.
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>khandalaensis</i> <i>khandalaensis</i>	(Stephenson, 1924: 350)	Maharashtra and Madhya Pradesh, India.
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>kinneari</i>	(Stephenson, 1915: 100)	Karnataka, India.
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>kurmagarensis</i>	Gates, 1945: 88	Kurmagar Island, Karnataka, India.
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>lavellei</i>	Julka <i>et al.</i> , 2004: 2	Western Ghats, Karnataka, South India
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>londensis</i>	Julka, 1988: 203	Londa, Karnataka, India.
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>mullani</i>	(Stephenson, 1924: 348)	Maharashtra, India.
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>panchganiensis</i>	Julka, 1988: 207	Maharashtra, India.
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>powelli</i>	(Stephenson, 1925: 898)	Bombay, Maharashtra, India.
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>righii</i>	Julka, 1988: 213	Karnataka, India.
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>sanvordemensis</i>	Julka, 1988: 216	Goa and Karnataka, India.
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>stuarti</i>	(Bourne, 1887: 667)	Yercaud, Nandi Hills, Tamil Nadu.
OCTOCHAETIDAE	<i>Hoplochaetella</i>	<i>suctoria</i>	Stephenson, 1917: 388	Goa, India.

OCTOCHAETIDAE	<i>Karmiella</i>	<i>karnatakensis</i>	Julka, 1983: 48	Karnataka, India.
OCTOCHAETIDAE	<i>Karmiella</i>	<i>sulvalliensis</i>	Julka <i>et al.</i> , 2004: 2	Western Ghats, Karnataka, South India
OCTOCHAETIDAE	<i>Konkadrilus</i>	<i>bahli</i>	(Soota & Julka, 1972: 402)	Goa, India.
OCTOCHAETIDAE	<i>Konkadrilus</i>	<i>gatesi</i>	Julka <i>et al.</i> , 2004: 2	Western Ghats, Karnataka, South India
OCTOCHAETIDAE	<i>Konkadrilus</i>	<i>shimogensis</i>	Julka <i>et al.</i> , 2004: 2	Western Ghats, Karnataka, South India
OCTOCHAETIDAE	<i>Konkadrilus</i>	<i>stephensoni</i>	(Soota & Julka, 1972: 401)	Goa, India.
OCTOCHAETIDAE	<i>Konkadrilus</i>	<i>tirthahalliensis</i>	Julka , 1988: 235	Karnataka, India.
OCTOCHAETIDAE	<i>Konkadrilus</i>	<i>zicsii</i>	Julka , 1988: 237	Karnataka, India.
OCTOCHAETIDAE	<i>Kotegeharia</i>	<i>gatesi</i>	Julka , 1988: 240	Karnataka, India.
OCTOCHAETIDAE	<i>Lenogaster</i>	<i>chittagongensis</i>	(Stephenson 1917: 411)	Widespread in India, also in Bangla Desh and Myanmar.
OCTOCHAETIDAE	<i>Lenogaster</i>	<i>dashi</i>	Senapati <i>et al.</i> , 1990 in Senapati & Julka & Dash, 1990: 467	India.
OCTOCHAETIDAE	<i>Lenogaster</i>	<i>elongata</i>	Gates, 1945:	Nowgong, Madhya Spelt

			248	Pradesh, India and Robertsganj, Uttar Pradesh, India.	"elongatus" although "-gaster" genera are feminine gender.
OCTOCHAETIDAE	<i>Lennogaster</i>	<i>falcifer</i>	(Stephenson, 1920: 252)	Jubbulpore and surrounds.	
OCTOCHAETIDAE	<i>Lennogaster</i>	<i>parvus</i>	?	India (unconfirmed report from Indian website http://www.ncbi.org.in/biota/fauna/)	<i>Species inquirenda.</i>
OCTOCHAETIDAE	<i>Lennogaster</i>	<i>pusilla</i>	(Stephenson, 1920: 252)	India and Sumba, Indonesia.	<i>Eudichogaster barkudensis</i> Stephenson, 1921: 765
OCTOCHAETIDAE	<i>Lennogaster</i>	<i>pusillula</i>	(Gates, 1931: 428)	Myanmar (and an unconfirmed report from India http://www.ncbi.org.in/biota/fauna/).	
OCTOCHAETIDAE	<i>Lennogaster</i>	<i>trichochoeta</i>	(Stephenson, 1920: 249)	Maharashtra, India.	
OCTOCHAETIDAE	<i>Lennogaster</i>	<i>yeica</i>	(Stephenson, 1931: 193)	Himachal Pradesh, India and Myanmar.	
OCTOCHAETIDAE	<i>Mallehulla</i>	<i>indica</i>	Julka & Rao, 1982: 70	Karnataka, India.	
OCTOCHAETIDAE	<i>Octochaetoides</i>	<i>aitkeni</i>	(Fedarb, 1898: 432)	Travancore, Kerala, South India.	
OCTOCHAETIDAE	<i>Octochaetoides</i>	<i>castellanus</i>	(Stephenson, 1917: 407)	Castle Rock, Karnataka, India.	<i>Species inquirenda.</i>

						<i>da.</i>
OCTOCHAETIDAE	<i>Octochaetoides</i>	<i>kurmagarensis</i>	Gates, 1945: 82	Karnataka, India.		<i>Species inquirenda.</i>
OCTOCHAETIDAE	<i>Octochaetoides</i>	<i>raoi</i>	Gates, 1945: 85	Karnataka, India.		<i>Species inquirenda.</i>
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>albida</i>	(Gates, 1945: 77)	Andhra Pradesh, India.		
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>barkudensis</i>	(Stephenson, 1916: 340)	Barkuda Island, Chilika Lake, East coast Orissa, India.		
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>barnesi</i>	(Stephenson, 1925: 68)	Andhra Pradesh and Tamil Nadu.		
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>beatrice</i>	(Beddard, 1902: 456)	India (endemic?), Pakistan, Nepal, Myanmar, Vietnam (Thai, 2000), Malaysian Peninsula (Kuala Lumpur), Philippines, Qld (Blakemore, 1994)	<i>Syns. femori, hodgarti, pittnyi, dasi, fermori tetracystis, lunatus</i>	
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>compta</i>	(Gates, 1945: 80)	Andhra Pradesh, India.		
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>excavata</i>	(Stephenson, 1925: 69)	Horsleykonda, Chittoor, Andhra Pradesh, India.		
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>maindroni</i>	(Michaelsen, 1907: 168)	Gingi, Weyre Karur, Tamil Nadu.	<i>Octochaetus maindroni chaperi</i> Michaelsen, 1907: 169.	
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>paliensis</i>	(Stephenson, 1920: 228)	India, widespread in south.	<i>Syns. riparius, ganeshae.</i>	
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>parva</i>	(Gates, 1945: 82)	Andhra Pradesh,		

			84)	India.	
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>pattoni</i>	(Michaelsen, 1907: 170)	Chennai, Tamil Nadu, India.	
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>phillotti</i>	(Michaelsen, 1907: 169)	Hyderabad, Andhra Pradesh, India.	
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>prashadi</i>	(Stephenson, 1920: 233)	Kalayan, Maharashtra, India.	
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>serrata</i>	(Gates, 1945: 87)	Chennai, Tamil Nadu, India.	
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>surensis</i>	(Michaelsen, 1910: 88)	Sur Lake, Orissa; Tamil Nadu and Myamnar.	<i>Octochaetus surensis</i> (laps.); <i>O. birmanicus</i> Gates, 1925: 55.
OCTOCHAETIDAE	<i>Octochaetona</i>	<i>thurstoni</i>	(Michaelsen, 1907: 173)	Chennai, Tamil Nadu, India.	
OCTOCHAETIDAE	<i>Octonochaeta</i>	<i>rosea</i>	(Stephenson, 1926: 259)	Andhra Pradesh, South India.	<i>Octochaetoides sudarshensis</i> Sharma & Chako, 1970
OCTOCHAETIDAE	<i>Parryodrilus</i>	<i>lavellei</i>	Julka <i>et al.</i> , 1997: 142	Western Ghats, Karnataka, South India	
OCTOCHAETIDAE	<i>Pellogaster</i>	<i>bengalensis</i>	(Michaelsen, 1910: 96)	West Bengal, Orissa, Madhya Pradesh.	
OCTOCHAETIDAE	<i>Pellogaster</i>	<i>isabellae</i>	Gates, 1945: 245	Uttar Pradesh, India.	
OCTOCHAETIDAE	<i>Pellogaster</i>	<i>simsi</i>	Julka, 1988: 308	Maharashtra, India.	
OCTOCHAETIDAE	<i>Ramiella</i>	<i>bishambari</i>	(Stephenson, 1914: 347)	Cosmopolitan	<i>Octochaetus pachpaharensis</i> Stephenson, 1920: 239; ? <i>Ramiella parva</i> Stephenson, 1924: 344; <i>Ramiella cultrifera</i> Stephenson, 1931:

					187; ? <i>Howascolex sinicus</i> Chen, 1936: 113.
OCTOCHAETIDAE	<i>Ramiella</i>	<i>heterochaeta</i>	(Michaelsen, 1922: 51)	Coorg, Karnataka, South India	Originally <i>Ramella heterochaeta</i> .
OCTOCHAETIDAE	<i>Ramiella</i>	<i>nainiana</i>	Gates, 1945: 232	Allahabad, Uttar Pradesh, India.	
OCTOCHAETIDAE	<i>Ramiella</i>	<i>pallida</i>	(Stephenson, 1920: 236)	Panchagani, Maharashtra, India.	
OCTOCHAETIDAE	<i>Ramiella</i> ?	<i>parva</i>	Stephenson, 1924: 344	India.	<i>Species inquirenda.</i>
OCTOCHAETIDAE	<i>Ramiella</i>	<i>sundargarhensis</i>	Julka, 1978: 190	Orissa, India.	
OCTOCHAETIDAE	<i>Senapatiella</i>	<i>alfredi</i>	Julka <i>et al.</i> , 2004: 2	Western Ghats, Karnataka, South India	
OCTOCHAETIDAE	<i>Senapatiella</i>	<i>ghatensis</i>	Julka <i>et al.</i> , 2004: 2	Western Ghats, Karnataka, South India	
OCTOCHAETIDAE	<i>Senapatiella</i>	<i>herbettuensis</i>	Julka <i>et al.</i> , 2004: 2	Western Ghats, Karnataka, South India	
OCTOCHAETIDAE	<i>Shimodrilus</i>	<i>bhatkalensis</i>	Julka <i>et al.</i> , 2004: 2	Western Ghats, Karnataka, South India	
OCTOCHAETIDAE	<i>Shimodrilus</i>	<i>karniensis</i>	Julka <i>et al.</i> , 2004: 2	Western Ghats, Karnataka, South India	
OCTOCHAETIDAE	<i>Wahoscolex</i>	<i>bidens</i>	(Michaelsen,	Karnataka, South	

			1922: 38)	India.	
OCTOCHAETIDAE	<i>Wahoscolex</i>	<i>bouchei</i>	Julka, 1988: 347	Karnataka, South India.	
OCTOCHAETIDAE	<i>Wahoscolex</i>	<i>corethrurus</i>	(Michaelsen, 1922: 42)	Karnataka, South India.	
OCTOCHAETIDAE	<i>Wahoscolex</i>	<i>curgensis</i>	Julka, 1988: 352	Karnataka, South India.	
OCTOCHAETIDAE	<i>Wahoscolex</i>	<i>ditheca</i>	(Michaelsen, 1922: 42)	Karnataka, South India.	
OCTOCHAETIDAE	<i>Wahoscolex</i>	<i>horai</i>	Julka, 1988: 356	Karnataka, South India.	
OCTOCHAETIDAE	<i>Wahoscolex</i>	<i>merkaraensis</i>	(Michaelsen, 1922: 47)	Karnataka, South India.	
OCTOCHAETIDAE	<i>Wahoscolex</i>	<i>michaelseni</i>	Julka <i>et al.</i> , 2004: 2	Western Ghats, Karnataka, South India	
OCTOCHAETIDAE	<i>Wahoscolex</i>	<i>nandiensis</i>	Julka, 1988: 360	Karnataka, South India.	
OCTOCHAETIDAE	<i>Wahoscolex</i>	<i>veereshi</i>	Julka, 1988: 362	Karnataka and Nilgiri Hills, Tamil Nadu.	
MEGASCOLECIDAE	<i>Amyntas</i>	<i>aculeatus</i>	(Gates, 1936: 390)	Andaman Islands.	
MEGASCOLECIDAE	<i>Amyntas</i>	<i>alexandri alexandri</i>	Beddard, 1901: 999	Kew, India, Andaman Islands, Thailand, Myanmar.	<i>Pheretima lignicola</i> Stephenson, 1914: 399; ? <i>Pheretima</i> <i>suctoria mullani</i> Stephenson, 1924: 340; ? <i>Pheretima</i> <i>alexandri gracilior</i> Gates, 1931: 371.
MEGASCOLECIDAE	<i>Amyntas ?</i>	<i>burliarensis</i>	(Bourne, 1886: 667)	Palni Hills, Nilgiris, Tamil Nadu.	Comb. nov.; Species

					inquire nda.
MEGASCOLECIDAE	<i>Amyntas</i>	<i>corticis</i>	(Kinberg, 1867)	Cosmopolitan.	<i>Megascolex diffringens</i> Baird, 1869; ? <i>Megascolex</i> (<i>Perichaeta</i>) <i>sanctae-helenae</i> Baird, 1873; <i>Perichaeta</i> <i>subquadrangula</i> Grube, 1877 (sometimes misspelt "subquadrangula"); <i>Megascolex indicus</i> Horst, 1883: 186 [non <i>Perichaeta indica</i> : Horst, 1885: 4 (= <i>Pheretima</i> <i>darnleiensis</i>)]; <i>Perichaeta peregrina</i> Fletcher, 1887; ? <i>Perichaeta</i> <i>mirabilis</i> Bourne, 1887; <i>Perichaeta</i> <i>heterochaeta</i> Michaelsen, 1891; (<i>Perichaeta ijimae</i> Rosa, 1891)?; <i>Perichaeta divergens</i> Michaelsen, 1892; <i>Perichaeta nipponica</i> Beddard, 1892; ? <i>Perichaeta</i> <i>molokaiensis</i> Beddard, 1896; <i>Perichaeta</i>

					<i>heteropoda</i> Goto & Hatai, 1898; <i>(Pheretima marenzelleri</i> Cognetti, 1906)?; ? <i>Pheretima silvestrii</i> Cognetti, 1909; <i>Pheretima divergens yunnanensis</i> Stephenson, 1912; ? <i>Pheretima pingi</i> Stephenson, 1925; ? <i>Pheretima sheni</i> Chen, 1935; ? <i>Pheretima directa</i> Chen, 1935; <i>Pheretima oyamai</i> Ohfuchi, 1937; <i>Pheretima tajiroensis</i> Ohfuchi, 1938; ? <i>Pheretima homoseta</i> Chen, 1938: 414; ? <i>Pheretima morii</i> Kobayashi, 1938; <i>Pheretima toriii</i> Ohfuchi, 1941; <i>Pheretima clerica</i> Benham 1947; <i>Pheretima campestri</i>
MEGASCOLECIDAE	<i>Amyntas</i>	<i>facetus</i>	(Gates, 1932: 422)	North Andaman Islands (reports from Truk by Ohfuchi are mistaken).	
MEGASCOLECIDAE	<i>Amyntas</i>	<i>gracilis</i>	(Kinberg, 1867: 102)	Cosmopolitan.	<i>Perichaeta hawayana</i> Rosa, 1891: 396;

Perichaeta bermudensis Beddard, 1892; *Perichaeta mandhorensis* Michaelsen, 1892: 241; ?*Perichaeta ijimae* Rosa, 1891 cf. *A. corticis*; ?*Perichaeta mauritiana* Beddard, 1892?; *Perichaeta kamakurensis* Goto & Hatai, 1898?; *Perichaeta parvula* Goto & Hatai, 1898? [non Ohfuchi, 1956 (= *Metaphire parvula*) nec Ishizuka et al., 2000b (= '*Pheretima*' *parlarva* Blakemore, 2003)]; *Perichaeta decimpapillata* Goto & Hatai, 1898? (often misspelt "decempapillata"); *Pheretima kagoshimensis* Takahashi, 1932?; *Pheretima autumnalis* Ishizuka, 1999 [misspelt "P. autamunalis" in Ishizuka (2001: 11, 13, 87, 101)].

MEGASCOLECIDAE	<i>Amyntas</i>	<i>himalayanus</i>	(Stephenson, 1925: 893)	Darjeeling, India (7,000 ft).	
MEGASCOLECIDAE	<i>Amyntas</i>	<i>indica ceylonicus</i>	(Michaelsen, 1897: 246)	Sri Lanka.	Michaelsen (1900: 276) has original name as <i>ceylanensis</i> or <i>ceylonica</i> , the latter of which he accepted as correct. Name sometimes misspelt "ceylanensis" e.g. by Reynolds & Cook (1976: 87) or "celonica" e.g. on Bastel Museum type material website. <i>Species inquirenda.</i>
MEGASCOLECIDAE	<i>Amyntas</i>	<i>morrissi</i>	(Beddard, 1892: 166)	Cosmopolitan	? <i>Perichaeta barbadensis</i> (parts ?"a" and "c") Beddard, 1892 (July): 167; ? <i>Perichaeta mauritiana</i> Beddard, 1892:170 [most likely a variety of <i>A. gracilis</i>]; ? <i>Perichaeta pallida</i> Michaelsen, 1892 (Sept.): 227; ? <i>Perichaeta amazonica</i> Rosa, 1894: 14; ? <i>Perichaeta sanctijacobi</i> Beddard, 1895: 61; ? <i>Perichaeta cupulifera</i> Fedarb, 1898: 445; <i>Pheretima hawayana lineata</i>

					Gates, 1926: 154.
MEGASCOLECIDAE	<i>Amyntas</i>	<i>osmastoni</i>	(Michaelsen, 1907: 163)	Andaman Islands, and Myanmar.	<i>Pheretima "osmatoni"</i> : Gates, 1960: 268 (<i>lapsus for osmastoni</i>); also sometimes misspelt " <i>osmantoni</i> ".
MEGASCOLECIDAE	<i>Amyntas</i>	<i>papilio papilio</i>	(Gates, 1930: 316)	Myanmar (and an unconfirmed report from India http://www.ncbi.org.in/biota/fauna/).	Non <i>P. papilio</i> : Ohfuchi (1956) - a misidentification according to Gates (1972: 205).
MEGASCOLECIDAE	<i>Amyntas</i>	<i>robustus</i>	(Perrier, 1872: 112)	Cosmopolitan.	<i>Perichaeta masatakae</i> Beddard, 1892: 761 (name sometimes misspelt " <i>mastakae</i> "); <i>Pheretima campestris</i> Goto & Hatai, 1898: 67 [non <i>campestris</i> Lee, 1952 (= <i>A. corticis</i>)]; ? <i>Pheretima lauta</i> Ude, 1905: 464 [syn. <i>Pheretima siemsseni</i> Michaelsen, 1931: 17 (?part.), ? <i>Pheretima fokiensis</i> Michaelsen, 1931: 19 (from Chen, 1933: 282; 1936: 271 and Gates, 1935: 15)]; ?(<i>Pheretima zavattarii</i> Cognetti, 1909); <i>Pheretima ornata</i> Gates, 1927: 20;

Pheretima corrugata
Chen, 1931: 131 (this
synonym from Chen,
1936: 271, cf. *A.*
kulingianus); ?*Pheretim*
a sheni Chen, 1935: 38
(cf. *A. illotus*).

MEGASCOLECIDAE	<i>Amyntas</i>	<i>suctorius mullani</i>	(Stephenson, 1924: 340)	Bombay, Maharashtra, India.	
MEGASCOLECIDAE	<i>Amyntas</i>	<i>suctorius suctorius</i>	(Michaelsen, 1907: 165)	Andaman and Nicobar Islands; Bombay.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>aborensis</i>	(Stephenson, 1914: 384)	Abor Country, India.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>aquatilis</i>	(Stephenson, 1921: 756)	Kotagiri, Nilgiris, S. India.	Comb. nov.
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>bahli</i>	(Julka, 1981)	India.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>campsiaulus</i>	(Stephenson, 1924: 328)	Vandaravu & Palni Hills.	Comb. nov.
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>daminensis</i>	(Julka, 1981)	India.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>dubariensis</i>	(Michaelsen, 1921: 61)	Coorg, Karnataka, South India	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>exilis</i>	(Gates, 1945: 224)	India.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>ghumensis</i>	(Julka, 1975: 24)	Darjeeling, India.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>halyi</i>	(Michaelsen, 1898: 142)	Colombo, Sri Lanka.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>himalayanus</i>	(Gates, 1945: 71)	Changu, Sikkim, India.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>indicus indicus</i>	(Michaelsen, 1907: 148)	Kodaikanal, Palni Hills.	Comb. nov.
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>indicus silvestris</i>	(Michaelsen,	Tiger Shola near	Comb.

			1907: 149)	Kodaikanal, Palni Hills.	nov.
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>kempi</i>	(Stephenson, 1924: 327)	Kodaikanal, Palni Hills.	Comb. nov.
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>macrochaetus macrochaetus</i>	(Stephenson, 1925: 54)	Valparia, Andmali Hills (4,500ft).	Comb. nov.
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>macrochaetus simplicisetus</i>	(Jamieson, 1977: 482)	Vandaravu Range.	Comb. nov.; Species inquirenda.
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>mishmiensis</i>	(Julka, 1976: 236)	Northeast India.	
MEGASCOLECIDAE	<i>Argilophilus ?</i>	<i>palniensis</i>	(Michaelsen, 1907: 149)	Tiger Shola, near Kodaikanal, S. India.	Comb. nov.; Species inquirenda.
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>rallus</i>	(Gates, 1945: 72)	Kodaikanal, Palni Hills.	Comb. nov.
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>richikensis</i>	(Julka, 1981: 12)	India.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>sadhupulensis</i>	(Julka <i>et al.</i> , 1994: 217)	Punjab, India.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>sikkimensis</i>	(Michaelsen, 1907: 147)	Darjeeling, E. Himalayas.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>singhalensis</i>	(Michaelsen, 1897: 174)	Sri Lanka.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>taksingensis</i>	(Julka , 1981:)	?Araunachal Pradesh, India.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>timidus</i>	Cognetti, 1911: 497	South India.	
MEGASCOLECIDAE	<i>Argilophilus</i>	<i>variabilis</i>	(Aiyer, 1929:	?India.	<i>Species</i>

MEGASCOLECIDAE	<i>Barogaster</i>	<i>annandalei</i>	(Stephenson, 1921: 757)	Andhra Pradesh, India.	Removed from OCTOC HAETI DAE.
MEGASCOLECIDAE	<i>Barogaster</i>	<i>barodensis</i>	(Stephenson, 1914: 358)	Baroda, Gujarat, India.	Removed from OCTOC HAETI DAE.
MEGASCOLECIDAE	<i>Barogaster</i>	<i>prashadi</i>	(Stephenson, 1920: 202)	Maharashtra, India.	Removed from OCTOC HAETI DAE.
MEGASCOLECIDAE	<i>Celeriella</i>	<i>bursata</i>	Jamieson, 1977: 487	Vandarvu Range.	Removed from OCTOC HAETI DAE.
MEGASCOLECIDAE	<i>Celeriella</i>	<i>ditheca</i>	(Stephenson, 1924: 332)	Kodaikanal, Palni Hills.	Removed from OCTOC HAETI DAE.
MEGASCOLECIDAE	<i>Celeriella</i>	<i>duodecimalis</i>	(Michaelsen, 1907: 152)	Kodaikanal, Palni Hills.	Removed from OCTOC HAETI DAE.
MEGASCOLECIDAE	<i>Celeriella</i>	<i>kempi</i>	(Stephenson,	Marian Shola, Tamil	Remove

			1924: 332)	Naidu.		d from OCTOC HAETI DAE.
MEGASCOLECIDAE	<i>Celeriella</i>	<i>punctata</i>	Jamieson, 1977: 489.	Gundar Shola, Palni Hills. Tamil Nadu.		Remove d from OCTOC HAETI DAE.
MEGASCOLECIDAE	<i>Celeriella</i>	<i>quadripapillata</i>	(Stephenson, 1924: 331)	Kodaikanal, Palni Hills.	Originally <i>Spenceriella</i> <i>duodecimalis f.</i> <i>quadripapillata</i> .	Remove d from OCTOC HAETI DAE.
MEGASCOLECIDAE	<i>Celeriella</i>	<i>regularis</i>	(Stephenson, 1924: 330)	Kodaikanal, Palni Hills.		Remove d from OCTOC HAETI DAE.
MEGASCOLECIDAE	<i>Comarodrilus</i>	<i>gravelyi</i>	Stephenson, 1915: 13	Kerala, South India.		
MEGASCOLECIDAE	<i>Diporochoeta</i>	<i>montanus</i>	(Gates, 1940: 123)	Karnataka, South India.		Comb. nov. Species inquire nda.
MEGASCOLECIDAE	<i>Diporochoeta</i>	<i>pellucida</i>	(Bourne, 1894: 13)	Ootacamund, Nilgiris (6,700-8,00 ft), and Coonoor, Tamil Naidu, Southern India (Stephenson, 1923: 318; 1925: 63).		Species inquire nda.
MEGASCOLECIDAE	<i>Kanchuria</i>	<i>octothea</i>	Julka, 1988:	India.		

			88		
MEGASCOLECIDAE	<i>Kanchuria</i>	<i>sumerianus</i>	Julka, 1988: 89	India.	
MEGASCOLECIDAE	<i>Kanchuria</i>	<i>turaensis</i>	Julka, 1988: 89	India.	
MEGASCOLECIDAE	<i>Lampito</i>	<i>bouchei</i>	Jamieson, 1977: 496	Tamil Nadu	
MEGASCOLECIDAE	<i>Lampito</i>	<i>kempi</i>	Gates, 1938: 407	Tamil Nadu	
MEGASCOLECIDAE	<i>Lampito</i>	<i>kumiliensis</i>	(Aiyer, 1929: 70)	India including Tamil Nadu	
MEGASCOLECIDAE	<i>Lampito</i>	<i>marianae</i>	(Stephenson, 1924: 336)	Tamil Nadu	
MEGASCOLECIDAE	<i>Lampito</i>	<i>mauritii mauritii</i>	Kinberg, 1867: 103	Cosmopolitan.	Syns. <i>armatus</i> , ? <i>coerulea</i> + <i>luzonica</i> , <i>bivaginata</i> + <i>salettensis</i> , ? <i>perrieri</i> + <i>luzonicus</i> , <i>madagascariensis</i> .
MEGASCOLECIDAE	<i>Lampito</i>	<i>mauritii zeylandicus</i>	(Stephenson, 1913: 262)	Anuradhapura, Sri Lanka	
MEGASCOLECIDAE	<i>Lampito</i>	<i>sylvicola</i>	Michaelsen, 1907: 161	Tiger Shola, near Kodaikanal, Tamil Nadu, S. India.	
MEGASCOLECIDAE	<i>Lampito</i>	<i>vilpattiensis</i>	Michaelsen, 1907: 160	Vilpatti, Tamil Nadu	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>acanthodriloides</i>	Michaelsen, 1897: 235	Peradeniya, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>adami</i>	Michaelsen, 1910: 64	Adam's Peak, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>auriculata</i>	Aiyer, 1929: 64	India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>avicula</i>	Aiyer, 1929:	India.	

MEGASCOLECIDAE	<i>Megascolex</i>	<i>bifoveatus</i>	Stephenson, 1913: 266	Pattipola and Horton Plains, Sri Lanka.		
MEGASCOLECIDAE	<i>Megascolex</i>	<i>brachycyclus</i>	(Schmarda, 1861: 14)	Ratnapura, at foot of Adam's Peak, Sri Lanka.		
MEGASCOLECIDAE	<i>Megascolex</i>	<i>caeruleus</i>	Templeton, 1844: 89	Kandy, Peradeniya, Nuwara Eliya, Sri Lanka.	<i>Pleurochaeta moseleyi</i> Beddard, 1882: 481.	Type species.
MEGASCOLECIDAE	<i>Megascolex</i>	<i>campester</i>	Stephenson, 1915: 78	Horton Plains, Sri Lanka.		
MEGASCOLECIDAE	<i>Megascolex</i>	<i>ceylonicus</i>	(Beddard, 1886: 89)	Sri Lanka.		
MEGASCOLECIDAE	<i>Megascolex</i>	<i>cingulatus</i>	(Schmarda, 1861: 14)	Badulla, Avissavela, Kandy and probably Peradeniya, Sri Lanka.		
MEGASCOLECIDAE	<i>Megascolex</i>	<i>cochinensis</i> <i>cochinensis</i>	Stephenson, 1915: 96	Forest tramway, Cochin State (Kerala), India.		
MEGASCOLECIDAE	<i>Megascolex</i>	<i>cochinensis</i> <i>phaseolus</i>	Stephenson, 1915: 93	Parambikulam, Kerala, India.		
MEGASCOLECIDAE	<i>Megascolex</i>	<i>curgensis</i>	Michaelsen, 1921: 64	Coorg, Karnataka, South India		
MEGASCOLECIDAE	<i>Megascolex</i>	<i>dubius</i>	(Stephenson, 1916: 315)	Kurseong, Darjeeling, East Himalayas, India.		
MEGASCOLECIDAE	<i>Megascolex</i>	<i>escherichi</i> <i>escherichi</i>	Michaelsen, 1910: 66	Hidana, Sri Lanka.		
MEGASCOLECIDAE	<i>Megascolex</i>	<i>escherichi</i> <i>papillifer</i>	Stephenson, 1915: 77	Horton Plains, Sri Lanka.		
MEGASCOLECIDAE	<i>Megascolex</i>	<i>eunephrus</i>	Cognetti, 1911: 498	Coorloon, Travancore, South		

				India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>filicisesta</i>	Stephenson, 1915: 94	Parambikulam, Kerala, India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>funis</i>	Michaelsen, 1897: 210	Kandy, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i> ?	<i>gracilis</i>	(Bourne, 1886: 666)	Naduvatam, Nilgiris Hills.	Species inquirenda.
MEGASCOLECIDAE	<i>Megascolex</i>	<i>hendersoni</i>	Michaelsen, 1907: 162	Tiger Shola, Kodaikanal, Palni Hills, Tamil Nadu, South India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>horai</i>	Stephenson, 1922: 432	Cherrapunji, Dumpep, Assam, India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>hortonensis</i>	Stephenson, 1915: 83	Horton Plains, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>imperatrix</i>	(Bourne, 1894: 12)	Lamb's Rock, Coonoor, and Hulikal Droog, Tamil Nadu, South India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>insignis</i>	Michaelsen, 1910: 78	Trivandrum, Nedumangad and Kerummaadi in Travancore, Karakulam Kerala in India; Panadhure, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>kavalaiamus</i>	Stephenson, 1915: 91	Kavalai, Kerala, South India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>kempi</i>	Stephenson, 1915: 84	Horton Plains, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>konkanensis</i>	Fedarb, 1898:	Widespread in South	

		<i>konkanensis</i>	434	India and Laccadive Is.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>konkanensis longus</i>	Stephenson, 1915: 97	Parambikulam, Kerala, India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>lawsoni</i>	(Bourne, 1886: 664)	Ootacamund, Nilgiris, Tamil Nadu, India	<i>Megascolex curgensis</i> Michaelsen, 1921: 64 [from Easton (1982) The identity of <i>Perichaeta lawsoni</i> Bourne, 1886 (Syn. <i>Megascolex curgensis</i> Michaelsen, 1921). <i>Megadrilogica</i> 4: 1-3.
MEGASCOLECIDAE	<i>Megascolex</i>	<i>leucocyclus</i>	(Schmarda, 1861: 13)	Kandy and Nuwara Eliya, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>longiseta</i>	Michaelsen, 1907: 163	Nuwara Eliya, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>lorenzi</i>	Rosa, 1894: 5	Kandy and Peradeniya, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>multispinus</i>	Michaelsen, 1897: 221	(?Peradeniya), Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>nureliyensis</i>	Michaelsen, 1897: 232	Nuwara Eliya, Horton Plains, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>pattipolensis</i>	Stephenson, 1913: 265	Pattipola, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>peermadensis</i>	Aiyer, 1929: 68	India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>peranellus</i>	Gates, 1945: 78	Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>pharetratus</i>	Rosa, 1894: 3	Kandy, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>pheretima</i>	Michaelsen,	Manakoti, Coorg	

			1921: 66	(Kodagu), India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>polytheca</i> <i>polytheca</i>	Stephenson, 1915: 89	Kavalai, Kerala, South India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>polytheca uniuus</i>	Aiyer, 1929: 71	India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>polytheca zonatus</i>	Stephenson, 1915: 90	Parambikulam, Kerala, India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>porphyrozonus</i>	Stephenson, 1924: 337	India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>pumilio</i>	Stephenson, 1916: 333	Trivandrum, Kerala, South India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>quintus</i>	Stephenson, 1913: 268	Pattipola, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>ratus</i>	Cognetti, 1911: 500	Kerala, South India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>sarasinorum</i>	Michaelsen, 1897: 224	Trincomali, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>schmardae</i>	Michaelsen, 1897: 208	Ratnapura, at foot of Adam's Peak, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>sextus</i>	Stephenson, 1913: 270	Pattipola, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>singhalensis</i>	Michaelsen, 1897: 227	Nuwara Eliya, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>spectabilis</i>	Michaelsen, 1910: 80	Vaxvella, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>sylvicola marinae</i>	Stephenson, 1924: 336	?India.	<i>Species inquiren da.</i>
MEGASCOLECIDAE	<i>Megascolex</i>	<i>templetonianus</i>	Rosa, 1892: 131	Colombo, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>travancorensis</i> <i>bonaccordensis</i>	Michaelsen, 1913: 84	Bonaccord, Travancore, South	

				India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>travancorensis ghatensis</i>	Michaelsen, 1910: 75	Maddathoray, Travancore, South India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>travancorensis pentagonalis</i>	Michaelsen, 1916: 331	Trivandrum, Travancore, South India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>travancorensis proboscidea</i>	Aiyer, 1929: 62	India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>travancorensis quilonensis</i>	Michaelsen, 1910: 74	Quilon, Travancore, South India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>travancorensis travancorensis</i>	Michaelsen, 1910: 72	Pallode, Travancore, South India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>triangularis</i>	Stephenson, 1925: 56	Kavalai, Cochin Forest, India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>trilobatus</i>	(Stephenson, 1914: 340)	Baroda, Gujarat, India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>tripartitus</i>	Stephenson, 1925: 58	?India.	<i>Species inquirenda.</i>
MEGASCOLECIDAE	<i>Megascolex</i>	<i>trivandranus</i>	Stephenson, 1916: 330	Trivandrum, Travancore, South India.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>varians insolitus</i>	Stephenson, 1915: 86	Horton Plains, Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i>	<i>varians simplex</i>	Michaelsen, 1897: 207	Nuwara Eliya and Pattipola, Sri Lanka.	<i>Megascolex annandalei</i> Stephenson, 1913: 263; <i>Megascolex curtus</i> Stephenson, 1913: 267.
MEGASCOLECIDAE	<i>Megascolex</i>	<i>varians varians</i>	Michaelsen, 1897: 201	Nuwara Eliya (and Peradeniya?), Sri Lanka.	
MEGASCOLECIDAE	<i>Megascolex</i> ?	<i>viridis</i>	(Schmarda,	Found in the woods	Species

			1861: 13)	of S. Ceylon, near Belligamme, Sri Lanka.		inquire nda.
MEGASCOLECIDAE	<i>Megascolex</i>	<i>willeyi</i>	Michaelsen, 1909: 96	Sri Lanka.		
MEGASCOLECIDAE	<i>Megascolex</i>	<i>zygochaetus</i>	Michaelsen, 1897: 199	Ratnapura at foot of Adam's Peak, Sri Lanka.		
MEGASCOLECIDAE	<i>Metaphire</i>	<i>andamanensis</i>	(Michaelsen, 1907: 164)	Andaman Islands.		
MEGASCOLECIDAE	<i>Metaphire</i>	<i>anomala</i>	(Michaelsen, 1907: 167)	Peregrine. India, Myanmar, Thailand, Vietnam, Laos, China (Yunnan), etc.	<i>Pheretima anomala</i> (sic, lapsus) : Stephenson, 1923: 294 ; <i>Pheretima insolita</i> Gates, 1925: 543/568 [misspelt as "insolata" in Sims & Easton (1972: 237, 243)]; <i>Pheretima anomala insolita</i> : Stephenson, 1929: 234; <i>Pheretima anomala centralis</i> Stephenson, 1929: 234. [There is conflict in the name <i>insolita</i> in that Reynolds and Cook, 1976: 118 ascribe it to both Gates (1925: 568) and to Stephenson (1929: 234), this was corrected in Reynolds & Cook (1981: 32). In	<i>Species inquirenda.</i>

					fact, Gates (1925; 568) in a footnote formally named this taxon].
MEGASCOLECIDAE	<i>Metaphire</i>	<i>bahli</i>	(Gates, 1945: 85)	Sri Lanka, Philippines, Laos, Campuchia (Cambodia), Vietnam (and Thailand?).	
MEGASCOLECIDAE	<i>Metaphire</i>	<i>birmanica</i>	(Rosa, 1888: 164)	Myanmar, China (Yunnan), India (Himalayas), Vietnam and Laos.	
MEGASCOLECIDAE	<i>Metaphire</i>	<i>californica</i>	(Kinberg, 1867: 102)	Cosmopolitan.	<i>Perichaeta ringeana</i> Michaelsen, 1890; ? <i>Perichaeta sluiteri</i> Horst, 1890: 234 Syn. nov. [I can find no evidence for nephridia on spermathecal ducts thus provisionally transfer this taxon from Pheretima to <i>Metaphire</i> ; furthermore, there is nothing substantial to separate it from <i>M. californica</i> or its erstwhile junior synonym, <i>M. javanica</i>]; <i>Perichaeta hesperidum</i> Beddard, 1892; <i>Perichaeta guarini</i>

Rosa, 1894; *Pheretima browni* Stephenson, 1912: 273; *Pheretima modesta* Michaelsen, 1927; *Pheretima molesta* Gates, 1932: 420 mistakenly cited as "nom. nov." for the valid taxon *P. browni* Stephenson, 1912 [Reynolds & Cook (1976: 82, 139) repeated this mistake and further miscite the date as "Gates, 1931: 420"]; ?*Pheretima sakaguchii* Ohfuchi, 1938; *Pheretima "oslifornica"* Gates, 1955: 83; ?*Pheretima sonaiensis* Ohfuchi, 1956.

MEGASCOLECIDAE	<i>Metaphire</i>	<i>harrietensis</i>	(Stephenson, 1925: 59)	Mt Harriett South Andaman.	
MEGASCOLECIDAE	<i>Metaphire</i>	<i>houletti</i>	(Perrier, 1872: 99)	Cosmopolitan.	? <i>Perichaeta campanulata</i> Rosa, 1890 [this synonymy, doubted by Gates (1932: 377) after inspection of types, was apparently acceptable to Gates (1972: 191)]; <i>Perichaeta udekemi</i> Michaelsen, 1892: 240

[Michaelsen originally cited his species as "Grube (in litteris)"]; ?*Perichaeta guillelmi* Michaelsen, 1895 - this synonymy by Michaelsen, 1900 doubted by Gates (1935, 1972); *Perichaeta crescentica* Fedarb, 1898: 447 (synonymy suggested by Stephenson, 1923: 305, cf. Michaelsen, 1900); *Amyntas kelantanensis* Beddard, 1900: 903 - this synonymy from Stephenson (1932: 216); *Pheretima wimberleyana* Stephenson, 1925 [name misspelt "wimberlayana" by Sims & Easton (1972: 246) and Reynolds & Cook (1976: 190)]; *Pheretima houletti* var. *tortuosa* Gates, 1926: 454; *Pheretima houletti* var. *rugosa* Gates, 1926: 459; *Pheretima campanulata* var. *penetralis* Gates, 1931:

					435; <i>Pheretima campanulata</i> var. <i>meridiana</i> Gates, 1932: 457; ? <i>Pheretima yapensis</i> Ohfuchi, 1941 - this last synonym from Gates (1972: 195) while Gates (1972: 192) rejects the
MEGASCOLECIDAE	<i>Metaphire</i>	<i>peguana</i>	(Rosa, 1890: 113)	Cosmopolitan.	<i>Pheretima saigonensis</i> Omodeo, 1957: 327
MEGASCOLECIDAE	<i>Metaphire</i>	<i>planata</i>	(Gates, 1926: 411)	Andaman Islands (India), Myanmar, Chiangmai ad Ko Chang (Thailand), Assam, Bengal, Dacca (Bangla Desh), Jharkhand State East Central India, Selangor, Kuala Lumpur (Malaysia)	
MEGASCOLECIDAE	<i>Metaphire</i>	<i>posthuma</i>	(Vaillant, 1868/9: 228)	Cosmopolitan.	<i>Perichaeta affinis</i> Perrier, 1872; <i>Pheretima incerta</i> Beddard, 1912: 197. Syn. nov..
MEGASCOLECIDAE	<i>Metaphire</i>	<i>scitula</i>	(Gates, 1936: 457)	Andaman Islands.	
MEGASCOLECIDAE	<i>Metaphire</i>	<i>travancorensis</i>	(Fedarb, 1898: 435)	South India.	Originally <i>Pheretima travancorensis</i> . <i>Species incertae sedis.</i>
MEGASCOLECIDAE	<i>Metaphire</i>	<i>trivandrana</i>	(Stephenson, 1916: 335)	South India.	

MEGASCOLECIDAE	<i>Nelloscolex</i>	<i>burkilli</i>	(Michaelsen, 1907: 152)	From Myanmar; with unconfirmed report from India (website http://www.ncbi.org.in/biota/fauna/).
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>antrophyes</i>	(Stephenson, 1924: 130)	Siju Cave, Garo Hills, Assam, India.
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>bahli</i>	(Stephenson, 1925: 888)	Ceylon Univeristy College, Colombo, Sri Lanka.
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>ceylanensis</i>	(Michaelsen, 1897: 183)	Sri Lanka.
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>choprai</i>	Stephenson, 1929: 230	?India. <i>Species inquirenda.</i>
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>crassicystis</i>	(Michaelsen, 1897: 194)	Sri Lanka.
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>dambullaensis</i>	(Michaelsen, 1897: 181)	Sri Lanka.
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>decipiens</i>	(Michaelsen, 1897: 197)	Sri Lanka.
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>gravelyi</i>	Stephenson, 1916: 325	Kandy, Sri Lanka.
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>jacksoni</i>	(Beddard, 1890: 467)	Sri Lanka.
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>kraepelini</i>	(Michaelsen, 1903: 128)	Sri Lanka.
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>lautus</i>	Gates, 1945: 71	Sri Lanka.
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>minimus</i>	Aiyer, 1929: 60	India.
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>monorchis</i>	(Stephenson, 1916: 313)	Darjeeling, E. Himalayas.

MEGASCOLECIDAE	<i>Notoscolex</i>	<i>oneilli</i>	(Stephenson, 1914: 377)	Abor Country, India.	
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>palniensis</i>	Stephenson, 1924: 333	Marian Shola, Tamil Nadu, South India.	
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>peermadensis</i>	Aiyer, 1929: 58	India.	
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>plenus</i>	Gates, 1945: 73	Sri Lanka.	
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>ponmundianus</i>	Michaelsen, 1913: 79	Travancore, Kerala, South India.	
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>primus</i>	Gates, 1932: 373	?India.	<i>Species inquirenda.</i>
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>pumila</i>	(Stephenson, 1931: 51)	From Myanmar, and possibly from South India (by Gates, 1972: 137). Cf. <i>N. peermadensis</i> .	
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>scutarius</i>	Michaelsen, 1907: 153	Vilpatti, Tamil Nadu.	
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>striatus</i>	Stephenson, 1914: 380	Arbor Country, E.Himalayas.	<i>Notoscolex stewarti</i> Stephenson, 1914: 382
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>strigosus</i>	(Gates, 1939: 40)	Dumpep, Khasi Hills, Assam, India.	
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>tenmalai ghatensis</i>	Aiyer, 1929: 56	Ghats, India.	
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>tenmalai karakulamensis</i>	Stephenson, 1916: 311	Kerala, South India.	
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>tenmalai tenmalai</i>	(Michaelsen, 1910: 55)	Travancore, Kerala, South India.	<i>Notoscolex ponmudianus nanus</i> Michaelsen, 1913: 83.
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>termiticola</i>	Michaelsen, 1910: 63	Sri Lanka.	

MEGASCOLECIDAE	<i>Notoscolex</i>	<i>travancorensis</i>	Aiyer, 1929: 59	India.		
MEGASCOLECIDAE	<i>Notoscolex</i>	<i>trincomaliensis</i>	(Michaelsen, 1897: 188)	Trincomali, Sri Lanka.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>aborensis</i>	Stephenson, 1914: 392	Abor, East Himalayas, India.	<i>Perionyx depressus</i> Stephenson, 1914: 394.	Syn. nov.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>alatus</i>	Stephenson, 1920: 212	Darjiling, India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>annandalei</i>	Michaelsen, 1907: 154	Darjiling, Assam, India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>annulatus</i>	Stephenson, 1914: 386	Abor, India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>bainii</i>	Stephenson, 1915: 72	Simla, Western Himalayas, India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>ceylanensis</i>	Michaelsen, 1903: 6	Peradeniya and Point de Galle, Sri Lanka.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>crassiseptatus</i>	Stephenson, 1925: 65	Chalakuudi, Cochin, India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>daflaensis</i>	Julka, 1981: 18	India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>daminensis</i>	Julka, 1981: 20	India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>excavatus</i>	Perrier, 1972: 100	Cosmopolitan.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>festivus</i>	Gates, 1945: 226	?India.		<i>Species inquiren da.</i>
MEGASCOLECIDAE	<i>Perionyx</i>	<i>fossus</i>	Stephenson, 1920: 214	Shillong, Assam, India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>foveatus</i>	Stephenson, 1914: 396	Abor, East Himalayas, India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>fulvus</i>	Stephenson,	Calcutta, and Shan,		

			1916: 322	Myanmar.	
MEGASCOLECIDAE	<i>Perionyx</i>	<i>gravelyi</i>	Stephenson, 1917: 378	Darjiling, East Himalayas, India.	
MEGASCOLECIDAE	<i>Perionyx</i>	<i>heterochaetus</i>	Stephenson, 1917: 379	Darjiling, East Himalayas, India.	
MEGASCOLECIDAE	<i>Perionyx</i>	<i>himalayanus</i>	Michaelsen, 1907: 158	Darjiling, East Himalayas, India.	
MEGASCOLECIDAE	<i>Perionyx</i>	<i>hingstoni</i>	Stephenson, 1925: 895	Darjiling, East Himalayas, India (11,00 ft).	
MEGASCOLECIDAE	<i>Perionyx</i>	<i>horai</i>	Stephenson, 1924: 342	India.	
MEGASCOLECIDAE	<i>Perionyx</i>	<i>inornatus</i>	Stephenson, 1916: 320	Darjiling, East Himalayas, India.	
MEGASCOLECIDAE	<i>Perionyx</i>	<i>jorpokriensis</i>	Julka, 1975: 21	India.	
MEGASCOLECIDAE	<i>Perionyx</i>	<i>kempi</i>	Stephenson, 1914: 389	Abor, East Himalayas, India.	
MEGASCOLECIDAE	<i>Perionyx</i>	<i>koboensis</i>	Stephenson, 1912: 391	Abor, East Himalayas, India.	
MEGASCOLECIDAE	<i>Perionyx</i>	<i>macintoshii</i>	Beddard, 1901: 999	Assam, Bengal, India and (?endemic to) Akyab, Myanmar (?and Nepal Valley)	<i>Perionyx m'intoshii.</i>
MEGASCOLECIDAE	<i>Perionyx</i>	<i>millardi</i>	Stephenson, 1915: 74	Bombay region, India.	<i>Perionyx igatpuriensis</i> Stephenson, 1920: 220.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>miniatus</i>	Gates, 1945: 73	?India.	<i>Species inquiren da.</i>
MEGASCOLECIDAE	<i>Perionyx</i>	<i>minimus</i>	Stephenson, 1920: 219	Bombay region, India.	
MEGASCOLECIDAE	<i>Perionyx</i>	<i>modestus</i>	Stephenson, 1922: 435	Assam, India.	

MEGASCOLECIDAE	<i>Perionyx</i>	<i>mysorensis</i>	Stephenson, 1921: 762	Mysore, India.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>nainianus</i>	(Michaelsen, 1907: 155)	West Himalayas, India.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>nanus</i>	Stephenson, 1917: 381	Darjiling, East Himalayas, India.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>pallidus</i>	Stephenson, 1917: 376	Darjiling, East Himalayas, India.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>pincernus</i>	Stephenson, 1916: 319	Ghoom, East Himalayas, India.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>pokhrianus affinis</i>	Stephenson, 1920: 210	Darjiling, East Himalayas, India.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>pokhrianus pokhrianus</i>	Stephenson, 1920: 208	Darjiling, East Himalayas, India.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>polythecus</i>	Stephenson, 1923: 351	Peradeniya, Sri Lanka.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>pullus</i>	Stephenson, 1920: 217	Bombay region, India.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>pulvinatus</i>	Stephenson, 1916: 317	Ghoom, East Himalayas, India.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>rimatus</i>	Stephenson, 1920: 206	Darjiling, East Himalayas, India.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>rufulus</i>	Gates, 1945: 74	Assam, India.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>saltans</i>	Bourne, 1886: 669	Nilgiris, Tamil Nadu.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>sansibaricus</i>	Michaelsen, 1891: 4	South India and Zanzibar.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>setnai</i>	Stephenson, 1931: 63	South Setna, Darjeeling, India.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>shillongensis</i>	Stephenson, 1920: 213	Shillong, Assam, India.
MEGASCOLECIDAE	<i>Perionyx</i>	<i>sikkimensis</i>	Stephenson,	Darjiling, East

		<i>michaelseni</i>	1923: 359	Himalayas, India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>sikkimensis</i>	(Michaelsen, 1907: 156)	Darjiling, East Himalayas, India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>silvicola</i>	Stephenson, 1925: 67	Dhoni Forest, S. Malabar, India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>simlaensis</i>	(Michaelsen, 1907: 157)	Simla, Western Himalayas, India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>turaensis</i>	Stephenson, 1920: 216	Garo Hills, Meghalaya, India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>variegatus</i>	(Michaelsen, 1907: 158)	Darjiling, East Himalayas, India.		
MEGASCOLECIDAE	<i>Perionyx</i>	<i>vidakensis</i>	Julka, 1981: 27	India.		
MEGASCOLECIDAE	<i>Pithemera</i>	<i>bicincta</i>	(Perrier, 1875: 1004)	Cosmopolitan (e.g. India; not yet confirmed China).	[?P. vilolacea].	Type species.
MEGASCOLECIDAE	<i>Polypheretima</i>	<i>elongata</i>	(Perrier, 1872: 124)	Cosmopolitan	<i>Perichaeta biserialis</i> Perrier, 1875: 1044; <i>Perichaeta acystis</i> Beddard, 1895:423 [nom. nov. pro <i>biserialis</i> : Beddard, 1890 (non Perrier, 1872)]; <i>Perichaeta monocystis</i> Horst, 1899:202 (lapsus pro <i>acystis</i> Beddard, 1895); <i>Pheretima aelongata</i> Gates, 1926: 444 (misspelling or illegal emendation).	
MEGASCOLECIDAE	<i>Polypheretima</i>	<i>taprobanae</i>	(Beddard, 1892: 163)	Cosmopolitan		

MEGASCOLECIDAE	<i>Pontodrilus</i>	<i>agensae</i>	Stephenson, 1915: 61	Horton and Elk Plains near Adam's Peak Sri Lanka.	
MEGASCOLECIDAE	<i>Pontodrilus</i>	<i>litoralis</i>	(Grube, 1855)	Cosmopolitan.	<i>Pontodrilus bermudensis</i> Beddard, 189, etc.
MEGASCOLECIDAE	<i>Rillogaster</i>	<i>eastoni</i>	Julka, 1988: 329	Goa, India.	Species inquirenda.
MEGASCOLECIDAE	<i>Rillogaster</i>	<i>matheranensis</i>	(Stephenson, 1924: 346)	Maharashtra, India.	Species inquirenda.
MEGASCOLECIDAE	<i>Scolioscolides</i>	<i>bergtheili</i>	(Michaelsen, 1907: 150)	Darjeeling, W. Bengal. India.	Species inquirenda.
MEGASCOLECIDAE	<i>Tonoscolex</i>	<i>indicus</i>	Julka, 1981: 29	India.	
MEGASCOLECIDAE	<i>Tonoscolex</i>	<i>kabakensis</i>	Julka, 1981: 30	India.	
MEGASCOLECIDAE	<i>Tonoscolex</i>	<i>michaelseni</i>	Julka, 1976: 233	India.	
MEGASCOLECIDAE	<i>Tonoscolex</i>	<i>parvus</i>	Gates, 1936: 386	India.	
MEGASCOLECIDAE	<i>Travoscolides</i>	<i>chengannures</i>	(Aiyer, 1929: 54)	Kerala, South India.	
MEGASCOLECIDAE	<i>Travoscolides</i>	<i>cochinensis</i>	(Michaelsen, 1910: 56)	Kerala, South India.	
MEGASCOLECIDAE	<i>Travoscolides</i>	<i>dorsochaetus</i>	(Jamieson, 1977: 480)	Gundar Shola, Kodaikanal.	Lumbricine setae; megascolecine tubular prostates and meroic nephridia comply with Australasian <i>Megascolides</i> which, in Comb. nov.; Species inquirenda.

				India, Gates, 1940 has described as <i>Travoscolides</i> .
MEGASCOLECIDAE	<i>Travoscolides</i>	<i>duodecimalis</i>	(Stephenson, 1915: 65)	Kerala, South India.
MEGASCOLECIDAE	<i>Travoscolides</i>	<i>pilatus</i>	(Stephenson, 1915: 68)	Kerala, South India.
MEGASCOLECIDAE	<i>Troyia</i>	<i>gundarshola</i>	Jamieson, 1977: 494	Gundar Shola, Kodaikanal.
MEGASCOLECIDAE	<i>Woodwardiella</i>	<i>hastata</i>	(Stephenson, 1915: 63)	Kerala, South India.
MEGASCOLECIDAE	<i>Woodwardiella</i>	<i>kayankulamensis</i>	Aiyer, 1929: 53	India.
MEGASCOLECIDAE	<i>Woodwardiella</i>	<i>sarasinorum</i>	(Michaelsen 1897: 177)	Sri Lanka.
MEGASCOLECIDAE	<i>Woodwardiella</i>	<i>uzeli</i>	(Michaelsen, 1903: 4)	Sri Lanka.
EUDRILIDAE	<i>Eudrilus</i>	<i>eugeniae</i>	Kinberg, 1867: 98	Cosmopolitan.

[END OF INDIAN CHECKLIST]